Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.





THE NEWS LETTER

OF THE

BUREAU OF PUBLIC ROADS



VOL. 2, NO. 5

MARCH, 1927

A.C.ROSE, EDITOR

CONTENTS

CHARACTERISTICS OF A GOOD JOURNAL ARTICLE 1
CHICAGO ROAD SHOW EXHIBIT BOOTH - HIGHWAY FINANCING7
WILLITE PAVEMENT PATENT No. 1,190,615 Held Invalid By U.S. CIRCUIT COURT OF APPEALS 8
STATUS OF CURRENT FEDERAL AID ROAD WORK, FEBRUARY 28, 1927 12
CHICAGO ROAD SHOW EXHIBIT BOOTH — SUBGRADE SURVEYS — — — — — — — — 13
Present Practice In Highway Subdrainage, Foundation Design, And Subgrade Treatment In The New England Area - 14
New A.S.T.M. Specifications For Portland Cement In Force 20
ESTIMATED STATE AND LOCAL HIGHWAY AND BRIDGE EXPENDITURES FOR 1927 22
Motor Vehicle Registration Fees And Disposition Of Receipts For 1926 23
Motor Vehicle Registrations For 1926 24
1926 GASOLINE TAXES 25
Progress Of Federal Highway Legislation 26





CHARACTERISTICS OF A GOOD JOURNAL ARTICLE

EXTRACTS FROM A PAPER READ AS A PART OF THE SYMPOSIUM ON "PUBLICATION OF RESULTS OF AGRONOMIC RESEARCH" AT THE MEETING OF THE AMERICAN SOCIETY OF AGRONOMY AT WASHINGTON, D. C., ON NOVEMBER 18, 1926,

DR. M. C. MERRILL, EDITORIAL CHIEF OF PUBLICATIONS, United States Department of Agriculture.

CHARACTER

JOURNAL ARTICLE IS THAT IT IS SCIENTIFIC. THE ARTICLE IS BASED ON FACTS. IT IS INFORMATIVE. IT IS NOT DESIGNED TO PEPSUADE TO ACTION, ALTHOUGH IT MAY BE ARGUMENTATIVE. BUT HOW ARGUMENTATIVE? You can all regall supposed—to—be scientific papers that contain a gram of experimental data and a kilogram of theoretical argumentation. The question might appropriately be asked, why argue about demonstrated facts instead of letting them speak for themselves? Technical writing should recognize clean—cut distinctions between fact and theory, knowledge and belief, accomplishment and propaganda.

"THE TECHNICAL ARTICLE MUST HAVE STABILITY AND DEPENDABILITY.

ITS FOUNDATION MUST BE WELL LAID AND REACH DOWN TO SOLID SUBSTANTIAL

DATA DERIVED FROM CAREFUL EXPERIMENTATION OR STUDY. THE READER MUST

HAVE CONFIDENCE IN IT. THERE MUST BE NO TRICKINESS AND NO SUBTER
FUGES, THE STRUCTURE MUST BE SUBSTANTIAL AND ENDURING, NOT FLIMSY

AND TEMPORARY - IT MUST BE SOLID STONE, NOT STUCCO.

"AN ELEMENT IN THE CHARACTER OF TECHNICAL JOURNAL PAPERS THAT IS SOMETIMES OVERLOOKED IS THAT THEY ARE TECHNICAL, AND ARE WRITTEN FOR THOSE WHO CAN UNDERSTAND THEM. THEY ARE THEREFORE WRITTEN IN THE LANGUAGE OF THE PROFESSION, AND IT SHOULD NOT SE NECESSARY TO DEFINE, EXPLAIN, OR DISCUSS THE TERMS AND PRINCIPLES THAT CONSTITUTE THE COLLEGE COURSE IN THE SUBJECT. THE AUTHOR OF ONE OF THE JOURNAL OF AGRICULTURAL RESEARCH PAPERS COULD SE ONLY PARTLY CONVINCED THAT HIS PAPER WAS MADE MUCH STRONGER BY THE OMISSION OF A DETAILED DISCUSSION OF ELEMENTARY PRINCIPLES OF CHEMISTRY AND PHYSICS AS APPLIED TO SOILS WHICH ARE STUDIED TODAY BY EVEN HIGH SCHOOL STUDENTS. IN ANOTHER CASE IT TOOK A TWO-HOUR ARGUMENT TO PERSUADE THE WRITER OF A TECHNICAL SULLETIN TO CONSENT TO THE ELIMINATION OF ABOUT 30 PAGES OF INTRODUCTORY ELEMENTARY MATERIAL WITH WHICH ANY FRESHMAN COLLEGE STUDENT OF THE SUBJECT IS ACQUAINTED.

= . , ,

PURPOSE

"WHAT IS THE PURPOSE OF TECHNICAL WRITING? IS IT TO ENABLE WORKERS TO ESTABLISH REPUTATIONS FOR ACHIEVEMENTS IN SCIENCE, OR IS IT TO MAKE CONTRIBUTIONS TO SCIENTIFIC KNOWLEDGE? IN A GOOD JOURNAL ARTICLE THE SUSJECT AND THE RESULTS ARE OF PARAMOUNT IMPORTANCE AND THE PERSONALITY OF THE AUTHOR IS KEPT SUBORDINATE. HIS VIEWPOINT IS OBJECTIVE, NOT SUBJECTIVE. THE DATA ARE THEREFORE OBJECTIVELY CON-SIDERED FOR WHAT THEY ARE WORTH. THAT HIGHEST TYPE OF HONESTY -SCIENT! FIC HONESTY WITH ONE'S SELF - SHOULD BE A GUIDING INFLUENCE IN PRESENTING THE RESULTS AND CONCLUSIONS TO THE WORLD. PREJUDICE AND PERSONAL BIAS SHOULD PLAY NO PART WHATSOEVER. IF THE DATA RUN COUNTER TO THE WRITER'S PET THEORIES THEY SHOULD NEVERTHELESS BE COURAGEOUSLY GIVEN EVEN THOUGH THE WRITER THEREBY FAILS TO ATTAIN SCIENTIFIC IF FAME COMES TO THE SCIENTIFIC WRITER AS A BY-PRODUCT OF HIS CONTRIBUTION, WELL AND GOOD. BUT THE UNDERLYING PURPOSE FOR WHICH HE WRITES, HOWEVER, SHOULD BE TO INCREASE THE WORLD'S KNOWLEDGE, NOT HIS OWN PRESTIGE.

WITH ENTHUSIASM IN THE PROSECUTION OF THAT PART OF THEIR RESEARCH
PERTA!NING TO THE OBTAINING OF DATA WHICH BLAZE THE WAY TO NEW TRUTHS,
BUT WHEN THE DISCOVERY IS MADE AND THE SCIENTIFIC CURIOSITY IS SATIS—
FIED THE AUTHORS ARE VERY LOATH TO STOP, S!T DOWN, TAKE STOCK, AND
CARRY ON THE LABORIOUS PROCESS OF ASSEMBLING, VERIFYING, TABULATING,
COMPARING AND CHECKING THE DATA, AND ESPECIALLY OF INTERPRETING, EXPLAINING, AND DISCUSSING THEM AND POINTING OUT THEIR SIGNIFICANT
RELATIONSHIPS. UNDER SUCH CIRCUMSTANCES WRITERS ARE APT TO FORGET
OR NOT BE FULLY CONSCIOUS OF THE PURPOSE OF THEIR WRITING AND OF THE
FACT THAT THE ULTIMATE VALUE OF RESEARCH IS DETERMINED BY EITHER ITS
USE OR ITS AVAILABILITY TO OTHERS. PUBLICATION OF THE RESULTS IN
CREDITABLE FORM SHOULD THEREFORE BE A PARAMOUNT CONSIDERATION.

SCOPE

"THE SCOPE OF A JOURNAL PAPER NEEDS CAREFUL ATTENTION AT THE OUTSET. How BROAD AND INCLUSIVE, HOW NARROW AND EXCLUSIVE, IN OTHER WORDS JUST HOW COMPREHENSIVE SHOULD IT BE? SHOULD IT BE SHORT AND CONFINED TO A SINGLE ASPECT OF THE SUBJECT, OR SHOULD IT BE LONG AND MONOGRAPHIC AND GIVE RELATIVELY COMPLETE INFORMATION ABOUT A CERTAIN SUBJECT? APPARENTLY HERE IS A FIELD UPON WHICH NO HARD AND FAST LINES CAN BE CRAWN. SO MUCH DEPENDS UPON THE SUBJECT, UPON THE WRITER'S RELATION TO IT, UPON THE EXTENT OF THE INVESTIGATION AND THE NATURE OF THE RESULTS.

"Unnecessary Length and Extreme Brevity Should Both Be avoided. We are all familiar with Journal papers which are so long and disJointed, and the parts so distantly related, that we wonder why the material was not presented in two or three concise articles. On the other hand, there are impatient workers in science who burden the literature with fragmentary bits of information. This frequent rush

INTO PRINT WITH THESE FRAGMENTS GIVES RISE TO THE SUSPICION THAT THE AUTHOR CARES MORE ABOUT SEEING HIS NAME IN PRINT THAN ABOUT ADDING TO THE DIFFICULTIES OF HIS COWORKERS WHO MAY BE EARNESTLY TRYING TO FOLLOW HIS WORK. Such PRACTICE UNNECESSARILY CLOGS THE LISTS OF LITERATURE CITED.; ONE SOLUTION WOULD BE FOR JOURNALS TO REFUSE TO ACCEPT SUCH FRAGMENTS FOR PUBLICATION UNTIL THEY HAD BEEN JOINED INTO AN IMPORTANT CONSTRUCTIVE CONTRIBUTION." * * * * *

TECHNIC OF PRESENTATION


"INTRODUCTION. - SOME AUTHORS PLUNGE SO SUDDENLY INTO THEIR SUBJECT THAT THE READER MUST BEGIN TO STRUGGLE AT ONCE IN THE STRANGE SURROUNDINGS TO GET HIMSELF PROPERLY ORIENTED BEFORE HE CAN PROCEED.

IT IS ORDINARILY CONSIDERED BETTER TO INTRODUCE THE READER MORE.

GENTLY AND FORMALLY TO THE SUBJECT. HE IS THUS INFORMED IN SUFFICIENT DETAIL OF THE PURPOSE OF THE EXPERIMENT OR RESEARCH, AND EXACTLY WHEN AND WHERE IT WAS PERFORMED. THE SPECIFIC RELATION OF THE PRESENT WORK TO PREVIOUS RESEARCH, IF ANY, ALONG THE SAME LINE SHOULD ALSO BE GIVEN IN ORDER THAT A PROPER ORIENTATION OF THE FIELD MAY BE HAD AT THE OUTSET." * * * * *

"METHODS OF Experimentation. - The Question 'how' should se answered fully and clearly. (Other workers in the field may wish to duplicate the work. To do so they should be able to understand the methods, apparatus, and conditions under which the work was done. If the technic is new or difficult to understand, drawings or pictures are very desirable. At this point it is well to note that apparatus or technic which may appear very simple to the writer may be very difficult for others to understand. It should be noted, however, that while the reader's information should not be overestimated, neither should his intelligence be underestimated. Hence when the method is once described it is not necessary to repeat in later parts of the paper what has already been given.

"DATA. - IN THE PROSECUTION OF RESEARCH IT MUST NEEDS BE THAT DATA ARE OBTAINED. THEY ARE THE MATERIALS OF WHICH SCIENTIFIC DIS-COVERIES ARE MADE. NOTESOOK AFTER NOTESOOK SECOMES FILLED WITH THEM. BUT HOW ARE THEY TO BE HANDLED IN PREPARING A MANUSCRIPT FOR PUBLICA-TION? THAT IS ONE OF THE BIG PROBLEMS WHICH THE WRITER FACES. MANY PROCESSES ARE USED FOR THE EXTRACTION OF THE DATA FROM THE MATERIALS AT HAND, BUT WHATEVER THE PROCESS, EACH FIGURE IS OBTAINED WITH SOME EFFORT AND AFTER MUCH PLANNING AND DELIBERATION. NATURALLY ALL THE DATA ARE THEREFORE PRIZED, FOR THEY ARE IN LARGE PART THE OFFSPRING OF PAINS, INGENUITY, AND FORETHOUGHT. HENCE THE WRITER OFTEN FINDS IT DIFFICULT TO DISCARD ANY OF THEM, AND FINALLY CONSIDERS THAT THE ONLY JUST AND IMPARTIAL PLAN IS TO INCLUDE THEM ALL. THE RESULT IS TABLE AFTER TABLE OF DETAILED FIGURES OF LITTLE SIGN! FICANCE. THE VIEWPOINT OF THE READER HE HAS NOT PROPERLY EVALUATED AND SEGRE-GATED HIS DATA. MANY A LIFELESS PAPER HAS BEEN VITALIZED BY A PROPER GROUPING, CLASSIFICATION, AND SUMMATION OF DATA INTO SIGNIFICANT VALUES READILY SEEN AND APPRECIATED.



"Most data are presented either in tabular or graphic form.
In this paper only the tabular form will be discussed. Properly prepared, a table has unified organization and logical order and is not a conglomeration of unrelated figures. The primary purpose of a table is to group and arrange the data so that significant relationships may be readily comprehended. Hence if a table is not clear or easily understood it largely fails of its mission." * * *


"INTERPRETATION OF DATA. - NOW THAT THE DATA ARE ALL ASSEMBLED, ASSORTED, AND ASSIMILATED, WHAT DO THEY MEAN? WHAT IS THEIR
SIGNIFICANCE? SHALL THE READER BE LEFT TO GUESS? THIS HAPPENS IN
MANY PAPERS. THE WRITER APPARENTLY FEELS THAT HIS DUTY IS FULLY
DONE - THAT HE HAS GIVEN THE READER THE FACTS, LET HIM ANALYZE AND
INTERPRET THEM AS HE WISHES. THE NATURAL RESULT IS THAT THE DATA
WILL GO DOWN IN HISTORY UNINTERPRETED, JUNWEPT, UNHONORED, AND UNSUNG.

"ANOTHER TYPE OF MISDEMEANOR FOR WHICH THERE SHOULD BE JAIL PENALTY IS THE LISTLESS REPETITION IN THE TEXT OF THE DATA THAT CAN BE SEEN MUCH MORE PLAINLY IN THE TABLES, WITHOUT ANY ATTEMPT TO INDICATE SIGNIFICANT RELATIONSHIPS OR TO INTERPRET THEM IN ANY WAY WHATSOEVER.

THAT THE AUTHOR BASE HIS ANALYSIS UPON THE FIGURES AS THEY ARE AND BE GUIDED ACCORDINGLY. Some papers show evidence of sias in favor of certain conclusions which are not substantiated by the data. A manuscript submitted to the Journal of Abricultural Research had to be rejected because the author drew conclusions in support of a fine theory from data which in themselves were hopelessly conflicting and inconclusive.

"Conclusions and Summary. - Too often there seems to be confusion regarding the conclusions and the summary. These have entireLy different functions. The conclusions come naturally after a
Logical discussion in which various phases of the subject are analyzed,
weighed, and balanced against results presented by others. The conclusions of a paper constitute the essence of the author's interpretation of his results. The summary is just what its name implies.
In very absreviated form it summarizes the important points in the
entire paper.

"FOR THE AVERAGE READER THE SECTIONS CONTAINING THE CONCLUSIONS AND THE SUMMARY ARE THE MOST IMPORTANT PARTS OF A SCIENTIFIC
PAPER. HERE HE WILL TURN FIRST TO GET A SIRD'S-EYE VIEW OF THE
PAPER AND TO ASCERTAIN WHAT IT IS ALL ABOUT. IF HE IS ESPECIALLY
INTERESTED HE WILL TURN BACK AND READ ALL OR PARTS OF IT, BUT IF HE
IS INTERESTED ONLY IN A GENERAL WAY HE WILL BE ENTIRELY SATISFIED
WITH THE INFORMATION IN THE SUMMARY IF IT IS WELL PREPARED." * * * *



FORM AND FINISH

"SCIENCE IS EXACT AND ITS LANGUAGE SHOULD BE PRECISE. ANYONE, THEREFORE, WHO WRITES A SCIENTIFIC ARTICLE SHOULD BE PAINSTAKING IN HIS CHOICE OF WORDS, AND THESE SHOULD PRECISELY EXPRESS HIS
MEANING. NOT INFREQUENTLY A SENTENCE IS SUBJECT TO TWO OR MORE
INTERPRETATIONS. THE WRITER KNOWS DEFINITELY WHICH HE HAD IN MIND
BUT NOT SO THE READER.


"CLOSELY RELATED TO PRECISION !N THE USE OF WORDS IS CLEAR-THIS QUALITY IN WRITING IS INTIMATELY ASSOCIATED WITH CLEAR THINKING. IF CLEARNESS AND LOGIC CHARACTERIZE AN AUTHOR'S THINKING. THESE VIRTUES ARE LIKELY TO BE REFLECTED IN HIS WRITING. SCIENTIFIC PAPERS ARE EXCEEDINGLY WELL WRITTEN. OTHERS CONTAIN VAGUE OR NEEDLESS WORDS OR WORDS USED INCORRECTLY. COMMON FAULTS ARE THE USE OF ABSTRACT WORDS INSTEAD OF CONCRETE AND THE HOPELESS MIXTURE OF THE TWO IN THE SAME SENTENCE. FOR EXAMPLE, CAN ONE ANALYZE THE SUGAR CONTENT? WHAT ARE ROOTY CHARACTERISTICS? CAN THE STARCH CONTENT OF POTATO VARIETIES BE DETERMINED? DOES THE PRESENCE OF WATER PUDDLE THE SOIL? WHEN DID A CONDITION OF SATURA-TION LOWER THE TEMPERATURE? ONE CRITIC CALLS SUCH WRITING JARGON, ! AS ALSO THE INDISCRIMINATE USE OF SUCH PHRASES AS, ON THE BASIS OF, IN THE PROSECUTION OF, THE OCCURRENCE OF, THE PROPOSITION, FROM THE STANDPOINT OF, ACCORDING AS TO WHETHER OR NOT, IN THE CASE WHERE, IN CONNECTION WITH, THE SITUATION IN REGARD TO.

BREVITY. BREVITY IS NOT ALTOGETHER DETERMINED BY THE NUMBER OF PAGES. SOME MANUSCRIPTS OF 10 PAGES ARE TOO LONG; OTHERS OF 50 PAGES ARE TOO SHORT. LACK OF BREVITY IS AN INDICATION OF LACK OF DEFINITENESS IN THE WRITER'S MIND OR OF APPRECIATION OF THE READER'S INTELLIGENCE, OR BOTH. COUPLED WITH THIS LACK THERE IS COMMONLY A FAILURE TO DISCRIMINATE BETWEEN THE ESSENTIAL AND THE UNESSENTIAL. AS IN THE TABULAR MATTER, SO IN THE TEXT THE AUTHOR PUTS IN WRITTEN FORM MANY IDEAS WHICH WERE INCUBATED DURING THE EXPERIMENT BUT WHICH HAVE NO REAL FUNCTION IN THE PRESENTATION OF HIS RESULTS. PROBABLY THE WORST SIN AGAINST BREVITY, HOWEVER, IS NEEDLESS AND TIRESOME REPETITION. INSTEAD OF LENDING EMPHASIS IT AROUSES EXASPERATION.

"THE PURPOSE OF SCIENTIFIC WRITING BEING SERIOUS, THE STYLE SHOULD BE CONSERVATIVE AND APPROPRIATE, AND FREE FROM INDICATIONS OF STRIVING FOR FLASHY UNIQUENESS SO CHARACTERISTIC OF MODERN COMPOSITION. SIMPLICITY NOT ONLY OF EXPRESSION BUT OF ARRANGEMENT SHOULD BE SOUGHT. ROMAN NUMERALS SO LONG IN USE FOR NUMBERING TABLES, PLATES, TEXT FIGURES, JOURNAL NUMBERS AND VOLUME NUMBERS SHOULD GIVE WAY TO ARABIC.

"A GOOD ARTICLE WILL HAVE BEEN REWRITTEN AND REVISED SEVERAL TIMES BEFORE IT IS CONSIDERED TO BE IN FINAL FORM. NO MATTER HOW WELL A MAN WRITES, HIS FIRST DRAFT OF A PAPER CAN BE IMPROVED. UNLY THE LITERARY GENIUS CAN RUN OFF A THOROUGHLY SATISFACTORY ARTICLE ON THE FIRST WRITING, AND HE IS SELDOM FOUND IN RESEARCH LABORATORIES.

"BUT HOW THE ENTHUS!ASM RISES AND THE DESIRE FOR A PERFECT
PRODUCT BEGINS TO BURN WHEN THE AUTHOR SEES H!S MANUSCRIPT !N
PROOF! THEN !T !S THAT HE PERCEIVES THE NUMEROUS OPPORTUNITIES
FOR IMPROVEMENT. THERE SEEMS TO BE A COMMON AFFLICTION AMONG
AUTHORS WHICH RENDERS THEM UNABLE TO SEE PLACES NEEDING IMPROVE—
MENT UNTIL THE MANUSCRIPT GETS INTO PRINT. IF AN AUTHOR WOULD
AT THE OUTSET GIVE THOUGHT TO THE CHARACTERISTICS OF A GOOD ARTICLE,
TAKE PAINS IN ITS PREPARATION AND REVISE IT UNTIL HE IS THOROUGHLY
SATISFIED WITH IT AND IT CAN WITHSTAND THE ONSLAUGHTS OF CRITICS,
THERE WILL BE NO NEED FOR DOING MORE TO THE PROOF THAN CORRECTING
MISTAKES IN PRINTING. THE WHOLE PROCESS WILL REQUIRE OF THE WRITER
MUCH EFFORT BUT IT WILL BE EFFORT WELL EXPENDED."





WILLITE PAVEMENT PATENT No. 1,190,615 HELD INVALID BY U. S. CIRCUIT COURT OF APPEALS

CONTRIBUTED BY L. E. BOYKIN CH!EF OF THE LEGAL SECTION.

(NOT FOR RELEASE)

THE UNITED STATES CIRCUIT COURT OF APPEALS ON DECEMBER 8, 1926, AFFIRMED THE DECREE OF THE LOWER COURT THAT THE WILLITE PAVEMENT PATENT NO. 1,190,615 WAS INVALID.

THE SUIT IN WHICH THE DECREE WAS RENDERED GREW OUT OF A CONTRACT FOR CERTAIN PAVING WORK IN THE CITY OF ST. LOUIS. IN 1924, THE CITY CALLED FOR BIDS IN DUE FORM FOR THE PAVING OF A SECTION OF PENDLETON AVENUE UNDER SPECIFICATIONS PRESCRIBING "WILLITE." THESE SPECIFICATIONS WERE FORMULATED BY THE PLAIN-TIFFS AND WERE CLAIMED TO EMBODY THE INVENTION DESCRIBED AND CLAIMED IN LETTERS PATENT 1,190,615. At the LETTING, THE DEFENDANT, THE TRINIDAD ASPHALT MANUFACTURING COMPANY, WAS THE LOWEST BIDDER AND RECEIVED THE CONTRACT. IT DECLINED, HOWEVER, TO BECOME A LICENSEE OF THE MISSOURI WILLITE COMPANY AND REFUSED TO BUY THE MATERIALS FOR THE PAVING FROM THAT COMPANY. THEREUPON SUIT WAS FILED.

AT THE TRIAL THE DEFENDANTS ASSAILED THE VALIDITY OF THE PATENT AND DENIED INFRINGEMENT. NUMEROUS PRIOR ART PATENTS WERE CITED DISCLOSING COMPOSITIONS COMPRISING CERTAIN GENERALLY DESCRIBED MINERAL OR EARTHY AGGREGATES COMBINED WITH VARIOUS BITUMINOUS AND PITCHY MATERIALS, TO WHICH WERE ADDED VARIOUSLY FOR HARDENING PURPOSES, SULPHUR IN COMBINATION WITH METALLIC BASES, INCLUDING BLUE VITRIOL AND BLUESTONE, WHICH ARE RECOGNIZED TERMS FOR COPPER SULPHATE. THE COURT HELD THAT THESE COMBINATIONS, DESCRIBED IN THE PRIOR ART, DEPRIVED THE PATENT IN SUIT OF THE ESSENTIAL QUALITY OF INVENTION UNDER THE DOCTRINE OF EQUIVALENTS.

THE ORIGINAL SUIT WAS FILED IN 1924 IN THE DISTRICT COURT OF THE UNITED STATES FOR THE EASTERN JUDICIAL DISTRICT OF MISSOUR! (EASTERN DIVISION) BY THE WESTERN WILLITE COMPANY, THE MISSOUR! WILLITE COMPANY, THE AMERICAN WILLITE COMPANY, AND THE WESTERN WILLITE ROAD CONSTRUCTION COMPANY, PLAINTIFFS, AGAINST THE TRINIDAD ASPHALT MANUFACTURING COMPANY, SHELBY L. HEMAN, JOHN C. HEMAN, AND THE CITY OF ST. LOUIS, DEFENDANTS, ALLEGING INFRINGEMENT OF LETTERS PATENT NOS. 1,190,615 AND 1,328,310, AND ALSO ALLEGING INFRINGEMENT OF A TRADE-MARK CONSISTING OF THE WORD "WILLITE" IN GOTHIC LETTERS.

7.1 TO DESCRIPTION TAUT OF THE PARTY OF

100 100 NATIONS NOT WELL THE . 1. J. VIII.D. GET Capter C. House Land 18 of the The state of the s ABO KATH KI 多条等的 经证券 经证券 医二十二氏病 CONTRACTOR CONTRACTOR Add Carrier Control The following of the second se

att with the second

8197 PHY / MARKE NO. .. 947 53 15 1 49 3. 13.1.1 server 3.5 with a describer of the Participation of the state of t 7 July 14.7 . Brance TO BELLEVIE TO BELLEVIE OF BUREAU COLUMNIA

All the grown of the 7.37 337:0 (more than the party of the party) A section of the sect 1

 $r \in \mathbb{N}$, we have the setting the setting time $r \in \mathbb{N}$

and an armanagene have none, or pen . Told it we with the in when it HIMAS IN COUNTY WAS A TO COUNTY OF THE HISTORY COUNTY OF THE WAS ALLEGABLE TO SHE ARE DECIMENDED FOR THE WAY OF 在特别的保护性。1954年,大汉国(1) - 1955年,1955年,1955年,1955年,1956年,1956年,1956年,1956年,1956年,1956年,1956年,1956年,1956年,1956年,195 er "beerden se omko "ito Kiltin owwo.ko oestoo.ka ne ee wii istoo TO GARAGE TO BE SECURE WITH THE TO THE VEHICLE (TO FREEDRY) AND AMERICAN DAMPER OF A STREET

THE RESERVE THE RESERVE AND A STOCKLESS TO THAT WERE HOLDER WITHOUT THE LAST 人工製廠等等等等等等等等等等等等等等等等等。 TO COMMEND WINDOWS HIS CONTROL OF THE STATE TO LOURS OF COURSE STANDS OF *** FX 155% The state of the s The second country from the second consecution The second of th With a service of the service.

to the substitute of state of the constraint The second of th Control of the Contro THE TOTAL THE STATE OF EXPENSES IN A STATE OF to the contract of the contrac The state of the second second second

PATENT No. 1,190,615 WAS ISSUED ON JULY 11, 1916, TO HARRY P. WILLIS, AND WAS BY HIM ASSIGNED TO THE WESTERN WILLITE ROAD CON-STRUCTION COMPANY OF AMERICA, ONE OF THE PLAINTIFFS. SUBSEQUENTLY, THE WESTERN WILLITE ROAD CONSTRUCTION COMPANY GRANTED AN EXCLUSIVE LICENSE FOR THE STATE OF MISSOURI TO THE WESTERN WILLITE COMPANY, WHICH, IN TURN, GRANTED AN EXCLUSIVE LICENSE FOR THAT STATE TO THE MISSOURI WILLITE COMPANY. THE APPLICATION FOR THIS PATENT WAS FILED DECEMBER 7, 1914, AND ON JULY 10, 1916, HARRY P. WILLIS MADE APPLICATION FOR LETTERS PATENT UPON "ASPHALTIC PAVEMENT AND FOUNDA-TION FOR PAVEMENTS." THIS LATTER APPLICATION WAS FILED AS A DIVI-SION OF THE PRIOR APPLICATION OF DECEMBER 7, 1914, WHICH LATER BECAME PATENT No. 1,190,615. THIS DIVISIONAL APPLICATION OF JULY 10, 1916, FINALLY, ON JANUARY 20, 1920, RESULTED IN LETTERS PATENT 1,328,310 BEING ISSUED. WHILE THE BILL OF COMPLAINT CHARGED IN-FRINGEMENT ALSO OF THIS LATTER PATENT (No. 1,328,310) COMPLAINANTS FORMALLY WITHDREW THIS SHORTLY BEFORE THE TRIAL AND ANNOUNCED THEY WOULD NOT CHARGE INFRINGEMENT THEREOF. THE DECISION, THEREFORE, DOES NOT GO TO THE VALIDITY OF THIS PATENT. UPON FINAL HEARING THE DISTRICT COURT, UNDER DATE OF JULY 3, 1925, ADJUDGED THE PATENT (No. 1, 190, 615) INVALID FOR ANTICIPATION AND DISMISSED THE BILL, FROM WHICH DECISION THE CASE WAS APPEALED TO THE UNITED STATES CIR-CUIT COURT OF APPEALS, EIGHTH CIRCUIT. THE DISTRICT COURT ALSO FOUND THAT THERE WAS NOT SUFFICIENT EVIDENCE TO ESTABLISH INFRINGE-MENT OF THE TRADE-MARK CONSISTING OF THE WORD "WILLITE" IN GOTHIC LETTERS, AND NO EVIDENCE OF INFRINGEMENT OF THIS TRADE-MARK WAS URGED IN THE APPEAL TO THE CIRCUIT COURT.

THE CIRCUIT COURT OF APPEALS, IN REVIEWING THE CASE AND AFFIRMING THE DECREE OF THE LOWER COURT, UNDER DATE OF DECEMBER 8, 1926, SAID, IN PART, THE FOLLOWING:

"THE COURT BELOW FOUND 'THAT THE CHEMICAL REACTIONS, IF THEY ARE SUCH, OR THE CATALYTIC EFFECT, IF THIS BE THE FACT: ARE THE SAME IN THE CASE OF ALL THE METALLIC SULPHATES. THIS, THE RECORD SEEMS TO ESTABLISH. IT IS CONTENDED, HOWEVER, THAT THERE IS A DIFFERENCE IN THE DEGREE OF EFFECTIVENESS; THIS, IF TRUE, CAN NOT AID APPELLANTS. THE SELECTION FROM KNOWN EQUIVALENT MATERIALS ONE WHICH DOES THE WORK BETTER THAN OTHERS PREVIOUSLY USED AND KNOWN DOES NOT AMOUNT TO INVENTION, WHEN THE DIFFERENCE IS ONLY ONE OF DEGREE.

"ALL THE ELEMENTS IN THIS PATENT, OR THEIR EQUIVALENTS, HAVE BEEN FREQUENTLY EMPLOYED IN SOME COME INATION FOR THE PRODUCTION OF THE SAME OR A KINDRED PRODUCT; THEIR FUNCTIONS REMAIN UNCHANGED. IN

THE PRESENT COMBINATION IT IS CLAIMED THAT A BETTER RESULT IS OBTAINED, BUT THIS DOES NOT AMOUNT TO IN-VENTION. AS SAID BY THE SUPPEME COURT IN SMITH V. NICHOLS SUPRA, AND BY JUDGE HOOK IN SLOAN FILTER CO. V. PORTLAND GOLD MINING COMPANY, SUPRA, IT INVOLVES THE MERE CARRYING FORWARD, OR MORE EXTENDED APPLICA-TION OF, AN ORIGINAL IDEA INVOLVING A CHANGE IN FORM, PROPORTION OR DEGREE, AND RESULTING IN THE DOING OF THE SAME WORK IN THE SAME WAY AND BY SUBSTANTIALLY THE SAME MEANS. ALSO BY THE SUPREME COURT IN FLORSHEIM V. SCHILLING, 137 U. S. 64, 14 NEW ARRANGEMENT OR GROUP-ING OF PARTS OR ELEMENTS OF A PATENTED ARTICLE, WHICH IS THE MERE RESULT OF MECHANICAL JUDGMENT, AND THE NATURAL CUTGROWTH OF MECHANICAL SKILL, IS NOT INVENTION. 1 IT REQUIRED NO INVENTIVE GENIUS TO SELECT A BITUMINOUS SUBSTANCE, A MINERAL AGGREGATE OR FILLER, AND A METALLIC SALT AS A HARDENING AGENT - ALL WELL-KNOWN IN THE PRIOR ART - TO PRODUCE A RESULT DIFFERING, IF AT ALL, ONLY IN DEGREE FROM THAT ALREADY KNOWN AND OBVIOUS. " * * * *

"IN SUPPORT OF THEIR PATENT APPELLANTS DEVOTE MUCH TIME AND SPACE IN ARGUMENT, RECORD AND BRIEF, TO THE UTILITY CLAIMED FOR THE PATENTED COMPOSITION; THIS CLAIM IS VIGOROUSLY CONTESTED BY APPELLEES. THE SIG-NIFICANCE OF USEFULNESS TO THE VAL!DITY OF A PATENT IS WELL UNDERSTOOD. A PATENT WILL NOT BE DECLARED VOID FOR LACK OF UTILITY IF IT POSSESSES ANY UTILITY WHATSO-EVER. (GIBBS V. HOEFNER, ET AL., 19 FED. 323). EXTEN-SIVE USE OF A PATENTED ART!CLE IS STRONG PROOF OF UTILITY, BUT NOT OF INVENTION, AND IS ENTITLED TO CON-SIDERATION, ON THAT ISSUE, ONLY IN DOUBTFUL CASES. THE MERE FACT THAT A PATENTED ARTICLE IS POPULAR AND MEETS WITH LARGE AND INCREASING SALE IS UNIMPORTANT WHEN THE ALLEGED INVENTION IS CLEARLY WITHOUT PATENTABLE NOVELTY. DUER V. CORBIN CABINET LOCK COMPANY, 149 U. S. 2!6." * * * *

"MEASURED BY THESE RULES, APPELLANTS" DEVICE
FAILS TO MEET THE TEST. IT IS IN EVIDENCE IN THE TEN
YEARS SINCE THE ISSUE OF THE PATENT IN SUIT APPROX!—
MATELY TEN MILLION SQUARE YARDS OF WILLITE PAVEMENT
HAVE BEEN LAID, AN AVERAGE OF ONE MILLION SQUARE YARDS
PER YEAR, BUT IT IS LIKEWISE IN EVIDENCE THAT IN ONE
OF THESE YEARS ALONE THERE WERE LAID ONE HUNDRED AND
TWELVE MILLION SQUARE YARDS OF ASPHALT PAVEMENT OF ALL
TYPES, NOT INCLUDING THE CONGRETE PAVEMENTS OF DIFFERENT CHARACTER. IT THUS APPEARS THAT THE PATENTED COMPOSITION, AS APPLIED TO PAVEMENTS, HAS NEITHER GONE INTO

*

•

. .

WIDE, GENERAL USE, NOR DISPLACED OTHER FORMS OF PAVEMENT WHICH HAD PREVIOUSLY GEEN USED. IN FACT, ITS USE FALLS FAR SHORT OF EVIDENCING A DEMAND WHICH THE PRIOR ART WAS NOT ADEQUATE TO SUPPLY. THE EFFECT OF THAT USE UPON THE VALIDITY OF THE PATENT, EVEN THOUGH THAT WERE DOUBTFUL, MAY GE DISPREGARDED.

"THE EXAMINER OF THE PATENT OFFICE EVIDENTLY BECAME IMPRESSED BY THE ALLEGED ECONOMICAL CHARACTER OF THE PROPOSED FILLER, TAKEN INDISCRIMINATELY FROM ANY PLACE AT WHICH THE PATENTED COMPOSITION WAS TO BE USED, AND BY THE ARGUMENT THAT SULPHATE OF COPPER MAS MINERAL ASPHALT WERE NOT SHOWN TO BE ASSOCIATED IN ANY SINGLE PATENT OF THE PRIOR ART. HE LOST SIGHT OF THE WIDE USE IN THE ALLIED ARTS OF OBVIOUS EQUIVALENTS.

"APPELLANTS MAKE THE SUGGESTION COMMONLY URGED IN PATENT SUITS, WHERE THE DEFENSE OF ANTICIPATION IS INTERPOSED, THAT IF OTHER ELEMENTS ARE DEEMED TO BE EQUIVALENT TO THOSE SPECIFIED IN THE PATENT, THE WAY WAS OPEN TO APPELLEES TO USE SUCH CLAIMED EQUIVALENTS, AND THUS AVOID CONFLICT. BUT IT IS NOT DISCLOSED IN THE PRESENT CASE THAT APPELLEES ARE VOLUNTARILY, AND FROM CHOICE, APPROPRIATING THE FORMULA OF APPELLANTS; SUCH A DESIRE IS EXPRESSLY DISCLAIMED. FOR SOME REASON, NOT MADE CLEAR BY THE RECORD, THE CITY HAD, IN SUBSTANCE, SPECIFIED THE WILLITE FORMULA FOR THIS PENDLETON AVENUE PAVEMENT, AND HAD ADVERTISED FOR COMPETITIVE BIDS, UNDER WHICH ALL SUCH CONTRACTS FOR MUNICIPAL IMPROVEMENTS ARE APPELLEES WERE COMPELLED EITHER TO CONFORM TO THE SPECIFICATIONS OR TO ABANDON THE FIELD AS BIDDERS. UNDER SUCH CIRCUMSTANCES, THEY ELECTED TO CHALLENGE APPELLANTS! CLAIMED MONOPOLY. 11

IN THE FOREGOING EXCERPTS, THE WORDS APPELLANTS AND APPELLEES REFER, RESPECTIVELY, TO PLAINTIFFS AND DEFENDANTS.

. 1 STATUS OF CURRENT FEDERAL ATO ROAD WORK


FOR THE FISCAL YEAR ENDING JUNE 30, 1927

A5 OF FEBRUARY 28, 1927

5 14 1 5.5			ALMERMA	MR12C NA	CALIFORNIA	COL! RADK	CONNECTICUT	OELA/MARE FICH/DA	GUNGIA	Ожно	11111015	10WM	KANSAS	KENLUK I OLI ISLANA	MAINE	MARYLAND	MASSACHUSETTS	MICHIGAN	MISS 155 IPP I	MISS #1	M. VTANA	NE HASKA	NEW HAMPSHIRE	NLW JE-SEY	NEW WEXTOO	N'RIH CAR LINA	N'HTH DAK TA	KI DHE NO	NO BUN	Prints Yl Valvia	SI THE CARRY IND	SCUTH DAKLTA	TENNESSEE	LIEAAS	VERM 'I	VINCINIA	ALS I VINGINIA	#150 KS1A	MYNMING	Tr falls	
KEER	9	STAGE							12,7	9.2			S 4					5.5		7.9		41.4			00		201.5		6.3				4.0					4.3		532 2	3
REC MMENDED BY	MILES	CRISINAL	65.8	9.04	26.8	66.3	0.5	26.5			36.5		60.0	23.1			15.8	0.040	71.1	111.4	5.1	n,		7.0	y m	0.6	10,00	6.4.9		11.8	29.7	10,3	47.4	25.9		54.1	33.9	17.4	16.7	1 705.0	1,120.2
P.S. RE. REC MMENDED 3V APPRIVAL CY DISTAICT ENGINEER		PENERAL MIO	375,512.44	111 655.41	461,417.61	680,122.56	136,794.57	752.037.78	157,010,20	230,819,59	1,306,559,31	2,040,294,20	785,980.78	371 978.33		14.050.00	236,115.00	1,232,915.00	497,035.64	1,062,560.95	29,490.19	719.10		104,910.00	106,642,50	95,000.00	383,342,24	423, 336, 43	24,016.47	186,021,73	83 800.00	139,250,41	503,724.10	415,724.53	1,034.55	976,612.50	399.908.10	247,374.71	42,256.00	00 000 307 00	
		STAGE	- 47		4.0	9.1		11.9	37.5	6.4	11.6	235.3	0.0					39.3	4.0	36.1	8.5	32.1					6.4.0	29.1	23.9		6.5	57.6	50.1	173.1			12.0	00.00	33.7	741 4	
N FORCE	MILES	RIGINAL	270.6	242.9	157.7	254.7	59.0	199.1	395.4	169.7	455,7	670.2	713.2	1.86.1	73.6	45,4	86.7	401.5	359.5	299.4	550.5	1 28.5	13.7	55.0	631.9	147.7	719.7	250.4	128.7	430.9	169.5	584.3	217.3	146.7	32.0	111.9	210.1	309.9	114.1	277 0 1	2000
AGREMENTS NOW IN FUBGE		LEBERAL AID OR	2,436,647.14	1.629.339.78	3,877,622.71	2,697,120.07	212.218.218.28	3,276,448,98	4,331,390,98	1,244,836.07	7,559,014.76	5,524,743.13	5,252,639.16	1.356.574.37	935, 320, 43	441,313,54	1,603,435.02	6,395,735,68	3,432,357.23	4,309,549.32	1,305,409.51	6,045,027.37	303, 902.51	855,223,56	10.178.267.70	2,168,916.07	2,641,878.03	1 958 325.64	1,914,959.27	7,074,566.27	2 220 750.24	1,669,031.30	3,495,260.60	1,389,403,39	647,644.23	1,593,567.32	2 589 372 07	3,387,379,38	1,115,591.63	170 470 754 46	0.110,0110,0110,000,000,000,000,000,000,
		STAGE	9.6		17.3		+		42.2	13.1	2.0	43.3	9 7 1	0 **				3.11		55.9	00	5.1		-	_	37.5	362.9	7.1	:	+	15.4	129.4	7.9	27.2				7.8	32.8	0	D 6 1 1 1
7.10 7548	MILES	RIGINAL S	101.9	39.9	199.6	37.9	13.5	0.00	264.0	102.9	102.2	237.7	177.5	54.5	4.9.4	46.0	5.1	55.0		301.0			26.4	26.0	158.4	1	506.1		34.9	174.0	7.7.	261.5	4 3.1	387.9	11:11	2.00	26.5	95.1	172.5	1	
COMPLETED AND PAID		PENERAL MID GRI	999,114.95	1.351.422.35	2,906,144.34	522,177.14	45,719,74	1,507,479.94	2,299,503.16	1,057,913.12	1,461,027,29	1,765,136.99	903,552,04	562,031,47	595,925.29	334,258.01	121,949.75	3 460 020 11	670,574.99	4,430,780.36	857,209.60	71.928.97	396,537.45	2,397,022.27	2.475.669.92	2,274,655.41	1,669,657.09	553 443.56	514,971.40	2,393,976.77	711 908.31	744, 524, 46	747.432.21	5, 970, 231.95	235,929.73	1,417,440.95	412 685.16	889.747.18	1,011,436.00	-	DE, (11, 753,48 0,
AWOUNT PRID STRIES DURING	FISCAL YEAR		\$ 959,727.38	384,244.89 789,903,04	2,163,213.97	836,043.14	246 664 63	732,979.45	1,929,094.39	1,064,904.01	1,725,204,99	1,959,247.57	1,823,513,31	657.767.34	956,009.91	535,792,45	74,025.25	2,231,127,90	1,056,164.98	3,195,432,91	791,263.48	637.940.29	414,921.59	732,592.69	3.933.944.31	1,587,423.25	2,245,720.64	1.005.284.86	792, 324.04	2,347,483.93	455,585.24 331,126,66	1,007,312.07	1,599,659,96	3,411,264.90	591,139,86	1,565,412,66	64 155.60	2,162,027,66	124 275 80	000	06,034,034,43
N.	93	STAGE							12.7	0.1		35.4	4 4					0.0	,	3.7		4			8.6		254.9	20.7	12.3			56.2		73.4				4.3		0 403	06400
INS TRUCT	MILES	RIGINAL		62.4	18.5	54.2	0	24.5	0.3	-:	125.0	111.3	67.1	3.7	5.5		24.3	172.3	33.9	101.3	8 5	40.V		0.7	57.0	20.1	17.9	102.5	12.0	60.0	2.0	23.7	0.3	16.9		34.9	79.6	4.7	16.7	0	041004
APPROVED FOR DONSTRUCTION		FENERAL AID	49	16,607.49	263,959.72	496,228,34	00 000	359,552,23	90,594,24	105,900,00	1,240,229,14	1,859,747.08	561,376.14	94.457.90	43,956.00		362,195.10	1,033,575.00	170,310.37	781,334.30	469,991.30	271,753.37		104,910.00	1.050.747.50	233,440.59	560,006.20	675.049.17	241,271.15	1,031,149,14	15,000,00	89,849,59	35,000.00	1,270,190.30		513,269,92	775.573.58	120,000,00	42,256.00	\vdash	20, 310, 253, 32
	CO.	STAGE			0.4	9,1	1	24.8	87.5	15.5	11.6	232.4	0.4	4.7.				39.3	,	40.3	8.5	32.1					61.4	20.9	23.5	1	ď	25.0	25.1	174.7			12.0	0.00	33.7	9 0 0 2 1	0 100
RUGTION	MILES	URISINAL STAGE	336.4	71.9	156.3	266.8	4.0.	201.2	395.4	170.1	339.5	614.6	106.1	205.5	68.0	45.4	79.5	392.0	395.9	308.5	131.9	198.0	18.7	55.0	578.3	135.6	656.2	212.8	116.7	432.5	22.0	571.4	265.0	139.0	32.0	131.1	154.3	322.8	114.1		
UNDER SINSTRUCTION		PENEMAL MIO	\$ 2,812,159.58	839,667.40	4,069,081.60	2,931,014.29	1,580,896,95	3,568,934,53	4,397,796,94	1,369,755.66	7,744,250,63	5,745,290.30	5,477,132,90	2.244.095.30	991,364.43	455,369.54	1,493,354.92	6,594,975,68	3,749,082.00	4,590,775.97	- 1	1,298,930,90	303,902.51	855, 223, 56	9.234.162.70	2,025,475.48	2,465,214.07	1,606,662.90	1,701,704,59	6,223,433.86	2 289 560.24	1,718,482.12	3,963,994,70	1, 375, 360, 14	649,673,79	2,056,910.00	2 212 606.59	3,514,754,09	1,115,591.63		133,374,333.02 13,310.0
BALANCE OF FEDERAL AID FUND AVAILABLE FOR			-	3,529,146,31	4,307,475.04	2.675,624.05	87 3,063,51	1.624.016.98	1,959,029,90	1,079,141.52	5,115,447.60	234,035.53	1,995,332.77	1.250, 391, 34	1,421,968.90	657,55P.23	2,573,065.51	2,292,112,91	1,431,395.15	1,552,705.62	5,950,809,31	1,142,120,65	467,326.97	946,532,96	7.007.374.59	1,714,652.58	1,216,972.87	1,916,479.22	1,010,327.07	3,454,219.19	1.077,720,52	1,230,170.86	1,872,296.07	1.146.562.35	731,924.93	570,879.02	583 219,82	4.393,063,00	1,230,472.32	1	01.101.421.22
S I E			-L-EAWA	AHIZONA	CALIFORNIA	COLOHADO	CONNECTION	DELAWARE FLHIDA	SECRETA	10mm0	ILLINO IS	- CMA	SASVAN .	LOUISTANA	AN AN	MATYLAND	V~SSACHU5ETTS	WICHIGAN MINNEGOTA	VIS . 155 IPP !	VISSOURI	MC NT NNA	VERBASKA VEVLOA	NEW HAMPSHIRE	NEW JENSEY	NEW YORK	WORTH CHACLING	SCRIH OHKUIM	SYLAHOVA	-EGCN	FLVVSYLYAVIA	SOUTH C. ACT NA	SOUTH DAKOTA	IBNNESSEE	TEXAS	V.H.VCVT	VIAG4717	*FST CIRCLE	NISC 2518	YOWING	21/101	131469

^{*} INCLUSES PROJECTS REPORTER COMPLETED FINAL VOUCHERE NOT MET PAIG) TOTALING: "FERERAL AIR \$ 40,222,318.15 WILES ORIGINAL 3,712.1 MILES STAGE 441.1







PRESENT PRACTICE IN HIGHWAY SUBDRAINAGE, FQUNDATION DESIGN, AND SUBGRADE TREATMENT IN THE NEW ENGLAND AREA

CONTRIBUTED BY E. J. WAKEFIELD OF THE DIVISION OF DESIGN (NOT FOR RELEASE)

THE DESTRUCTIVE FROST ACTION AND WIDE VARIATION IN SOIL TEXTURES WHICH OCCUR IN THE New England area, most of New York State, and the northern part of New Jersey account for the conspicuous place which foundation design, subdrainage, and subgrade treatment hold in the highway engineering practice of those States. Winter temperatures fall as low as 50 degrees below zero in the extreme northern fortions and the ground, in the assence of a heavy blanket of snow, sometimes freezes to a depth of several feet. The soil, because of its gladial origin, is extremely variable and embraces every cradation of texture, from heavy, plastic clays through loams, sands, gravels and hardpan, to veritable nests of bowlders. Frequently there is a wide variation within the limits of a single project, although there are considerable areas within which the soil is remarkably uniform in character, such as the sand country of northern New York where almost pure sand overlies many square miles.

DUE TO THE OCCASIONAL ALTERNATION OF PERVIOUS AND IMPERVIOUS STRATA DEPOSITED OVER MUCH OF THIS AREA BY THE CLACIAL PERIOD ICE SHEET, THE PERCOLATION OF GROUND WATER IS FREQUENTLY INTERRUPTED, AND NOT UNCOMMONLY ENCOUNTERED IN THE FORM OF SURFACE SEEPAGE IN SHALLOW CUTS ON HILLSIDES. THE COMBINATION OF EXCESS MOISTURE AND LOW WINTER TEMPERATURES IS PROBABLY BY FAR THE MOST DESTRUCTIVE NATURAL CONDITION WITH WHICH THE ENGINEER, ENGAGED IN HIGHWAY DESIGN AND MAINTENANCE, HAS TO CONTEND. THE CRITICAL PERIOD OCCURS IN EARLY SPRING WHEN "THE FROST IS COMING OUT." THE INITIAL THAWING OF THE SUBGRADE, PARTICULARLY A CLAY SUBGRAFE, LEAVES THE PAVEMENT UNEQUALLY SUPPORTED ON A SUPER-SATURATED STRATUM OF SOIL, THE COM-PACT TEXTURE OF WHICH HAS SEEN, TO A CONSIDERABLE DEGREE, DESTROYED THE MO: STURE RELEASED BY THIS INITIAL THAWING IS OFTEN IMPOUNDED BETWEEN THE LOWER SURFACE OF THE PAVEMENT AND THE STILL FROZEN SUBSOIL. UNLESS PROVISION IS MADE FOR THE LATERAL ESCAPE OF THIS EXCESS MOISTURE, THE SUBSEQUENT ALTERNATIONS OF FREEZING AND THAWING ARE QUITE LIKELY TO RESULT IN THE FORMATION OF ICE UNDER THE PAVEMENT AT POINTS WHERE THE WATER IN THE SUB-GRADE TENDS TO CONCENTRATE, THE RESULT IS THE FAMILIAR FROST-SOIL OF NORTHERN LATITUDES, THE DESTRUCTIVE ACTION OF WHICH IS WELL KNOWN TO HIGHWAY 'MAINTENANCE ENGINEERS OF THAT SECTION.

24 (1.15) 0 (2.15) (3.15) (4.1

•

p*

IN GENERAL, THE PURPOSE OF SUBGRADE TREATMENT - USING THE BROADER MEANING WHICH COVERS THE RELATED FEATURES OF SUBDRAINAGE, FOUNDATION DESIGN AND SUBGRADE REPLACEMENT - IS FOUR-FOLD. FIRST, IT IS DESIRED TO REDUCE THE CONTENT OF MOISTURE IN THE SUBGRADE IF PRACTICABLE; SECOND, IT IS DESIRED TO PREVENT THE RISE OF CAPILLARY MOISTURE TO THE LOWER SURFACE OF THE PAVEMENT AND TO FURNISH A MEANS OF ESCAPE FOR ANY FREE WATER WHICH MAY ACCUMULATE ON THE SURFACE OF THE SUBGRADE; THIRD, IT IS DESIRED TO IMPROVE THE DISTRIBUTION OF CONCENTRATED TRAFFIC LOADS BY SPREADING THEM OVER WIDER AREAS ON WEAK SUBGRADES, AND TO INSURE A MORE UNIFORM SUPPORT FOR THE PAVEMENT; AND, FOURTH, IT IS DESIRED TO PROVIDE AN INSULATING LAYER AGAINST THE SPRING FLUCTUATIONS OF THAWING AND FREEZING WHICH WILL, AT THE SAME TIME, MAKE FOR GREATER UNIFORMITY IN THESE PROCESSES.

THE PRACTICE IN THIS FIELD OF HIGHWAY DESIGN DIFFERS IN THE SEVERAL STATES OF THIS AREA, BUT CHIEFLY IN THE THOROUGHNESS OF THE PROVISIONS RATHER THAN IN THE NATURE OF THE TREATMENT OF SIMILAR CASES, SUBGRADE TREATMENT PRACTICE HAS THOROUGHLY CRYSTALLIZED IN A NUMBER OF THESE STATES; AND, ALTHOUGH THERE HAS BEEN CONSIDERABLE IMPROVEMENT AND PROGRESS DURING THE PAST FEW YEARS, THE GENERAL TREND IS CLEARLY DEFINED AND THE FOLLOWING GENERALITIES MAY BE TAKEN AS TYPICAL OF MODERN PRACTICE IN NEW ENGLAND.

Two Early types of corrective provisions, namely, Herringbone drains and V-drains, appear to have been completely abandoned - probably because equally effective results are obtainable at less expense with other methods of treatment.

THE USE OF AN UNDERDRAIN IS NOW CONFINED CHIEFLY TO THE DRAINAGE OF WET SIDE-HILL CUTS, WHERE IT MAY FUNCTION PROPERLY AS AN INTERCEPTING DRAIN TO CUT OFF THE LATERAL SEEPAGE OF PERCOLATING GROUND WATER. THESE UNDERDRAINS ARE COMMONLY CONSTRUCTED WITH VITRIFIED-CLAY PIPE, OF 6 INCHES DIAMETER OR LARGER, USUALLY LAID ON ABOUT 2 INCHES OF CRUSHED STONE OR GRAVEL IN THE BOTTOM OF THE TRENCH, WHICH IS THEN REFILLED WITH COARSE BROKEN STONE OR SCREENED GRAVEL FOR THE GREATER PART OF ITS DEPTH. CAREFUL CONSTRUCTION AND CLEAN REFILL MATERIAL ARE EMPHASIZED IN MOST OF THE STANDARD SPECIFICATIONS FOR THIS ITEM. THE DEPTH AND WIDTH OF TRENCH VARY IN THE SEVERAL STATES, BUT A DEPTH OF 4 FEET AND BOTTOM WIDTH OF 18 INCHES, WITH 6-INCH VITRIFIED-CLAY PIPE, MAY BE TAKEN AS FAIRLY TYPICAL.

1. 化有一致一致 1. 人类 1. 数字的 Variable to the Carlo Acco

AND THE RESERVE OF THE PROPERTY OF THE PROPERT nako kirangan di katangan kenalah pendibangan di katangan kenalah beraikan di katangan beraikan di katangan be Pangan kenalah di katangan beraikan di katangan beraikan beraikan beraikan di katangan beraikan beraikan beraik

ing the state of t and the second second the property of the second sec

FOR MAXIMUM EFFECTIVENESS THE UNDERDRAIN IS USUALLY CONSTRUCTED UNDER THE SHOULDER, NEAR THE EDGE OF THE PAVEMENT. THIS
PRACTICE IS OPEN TO CRITICISM BECAUSE OF THE LIKELIHOOD OF SERIOUSLY
IMPAIRING THE LATERAL SUPPORT OF THE SUSGRADE, NO MATTER HOW
THOROUGHLY THE REFILL MATERIAL IS TAMPED IN PLACE IN THE TRENCH.
FROM THE STANDPOINT OF ULTIMATE STABILITY IT IS PROBABLY BETTER TO
KEEP THE UNDERDRAIN WELL AWAY FROM THE EDGE OF THE PAVEMENT; PARTICULARLY SINCE ITS TRUE FUNCTION AS AN INTERCEPTOR OF LATERAL SEEPAGE WILL NOT BE SERIOUSLY AFFECTED THEREBY.

FORMERLY IT WAS NOT UNUSUAL TO PROVIDE UNDERDRAINS WITH A VIEW TO REDUCING THE CAPILLARY MOISTURE IN THE SUBGRADE WHERE WET CLAY SOILS WERE ENCOUNTERED. THIS USE OF UNDERDRAINS APPEARS TO HAVE BEEN LARGELY DISCREDITED IN THE NEW ENGLAND AREA, NOT ONLY BECAUSE OF DOUBTFUL EFFICACY, BUT BECAUSE SUPERIOR RESULTS, FROM THE STANDPOINT OF PAVEMENT STABILITY, ARE OBTAINABLE BY AN EQUAL EXPENDITURE FOR GRAVEL SUBBASE. THERE ARE, PERHAPS, SOME CONDITIONS (SUCH AS MAY BE FOUND IN PARTS OF NEW JERSEY WHERE THE WATER-TABLE LIES CLOSE TO THE SURFACE AND THE SOIL IS FAIRLY POROUS) UNDER WHICH THE USE OF UNDERDRAIN FOR THIS PURPOSE WOULD BE JUSTIFIABLE; BUT, IN GENERAL, THE PROVISION OF EXTRA SUBBASE IS A MORE ECONOMICAL INVESTMENT OF FUNDS.

THE MOST COMMON METHOD OF TREATMENT FOR WET AND UNSTABLE SUBGRADES IN NEW ENGLAND IS THE PROVISION OF POROUS FOUNDATION COURSES, DESIGNED TO MEET THE REQUIREMENTS OF EACH SPECIFIC CASE AND VARIED WITHIN THE LIMITS OF A SINGLE PROJECT TO MEET THE VARY-ING CONDITIONS OF SOIL AND SUBGRADE MOISTURE. THIS METHOD OF TREATMENT MAY VARY FROM THE PROVISION OF AN ADDITIONAL THICKNESS OF BROKEN STONE OR SLAG BASE COURSE, OR THE PROVISION OF A 2 OR 3-INCH BLANKET OF SAND AND GRAVEL UNDER THE PAVEMENT; TO THE VIRTUAL REPLACEMENT OF INFERIOR SUBGRADES SUCH AS IS OFTEN PRACTICED IN MASSACHUSETTS. IN THIS STATE IT IS NOT UNCOMMON FOR AN IMPROVEMENT TO BE CONSTRUCTED IN FOUR SEPARATE COURSES WITH AN AGGREGATE THICK-NESS OF 20 INCHES OR MORE. THE TYPE OF FOUNDATION COURSE WILL USUALLY SE DETERMINED, TO SOME DEGREE, BY THE KIND OF LOCAL MATERIALS AVAILABLE. FIELD STONE FROM OLD STONE FENCES IS AVAILABLE IN MANY PARTS OF NEW ENGLAND, AND SUITABLE GRAVEL IS GENERALLY AVAILABLE WITHIN EASY HAUL. THESE TWO MATERIALS ARE, THEREFORE, IN MOST COMMON USE FOR FOUNDATION AND SUBBASE COURSES; ALTHOUGH QUARRY STONE, BROKEN SLAG AND CINDERS ARE ALSO SUITABLE FOR THE SAME PURPOSES AND ARE USED WHERE MORE AVAILABLE THAN FIELD STONE OR GRAVEL, AS IN MANY PARTS OF NEW YORK AND NEW JERSEY.



TYPICAL PRACTICE IN FOUNDATION DESIGN, PARTICULARLY FOR SITUMINOUS MACADAM PAVEMENTS, IS THE PROVISION OF 9 TO 12 INCHES OF HEAVY STONE FOUNDATION COURSE, BEDDED ON SAND OR GRAVEL 2 INCHES OR MORE IN THICKNESS, WITH A LEVELING OR INTERMEDIATE COURSE OF BROKEN STONE BETWEEN THE HEAVY STONE AND THE BITUMINOUS THE HEAVY STONE FOUNDATION, CONSISTING OF FIELD OR QUARRY STONE, ROUGHLY HAND-PLACED, CHINKED WITH SMALLER FRAGMENTS, AND FILLED WITH GROKEN STONE AND COARSE SAND OR GRAVEL, FURNISHES THE NECESSARY LATERAL RIGIDITY IN THE CASE OF FLEXIBLE PAVEMENTS; THE SAND OR GRAVEL BEDDING COURSE OR SUBBASE EFFECTUALLY PREVENTS THE UPWARD PENETRATION OF PLASTIC SUBGRADE MATERIAL AND FACILITATES THE DRAINAGE OF WATER FROM THE SURFACE OF THE SUBGRADE; WHILE THE BROKEN STONE LEVELING, OR INTERMEDIATE COURSE TAKES UP THE IRRE-GULARITIES OF THE HEAVY STONE FOUNDATION AND SERVES AS A CUSHION FOR THE BITUM! NOUS SURFACE UNDER TRAFFIC. THIS TYPE OF FOUNDATION CONSTRUCTION, WHEN PROVIDED WITH ADEQUATE OUTLET DRAINS THROUGH THE SHOULDERS AT FREQUENT INTERVALS, WILL GENERALLY TAKE CARE OF THE MOST UNFAVORABLE SUBGRADE CONDITIONS. WHERE THE SUBGRADE IS ESPECIALLY EAD, AN ADDITIONAL THICKNESS OF GRAVEL SUBBASE UNDER THE HEAVY STONE FOUNDATION WILL USUALLY PROVIDE THE NECESSARY BEAR-ING POWER.

ALTHOUGH THE AGOVE DESCRIBED TYPE OF FOUNDATION HAS BEEN USED TO A CONSIDERABLE EXTENT UNDER CONCRETE PAVEMENTS, IT IS PROBABLY NOT SO WELL SUITED TO THAT TYPE OF PAVEMENT AS GRAVEL -EITHER SCREENED OR RUN-OF-BANK. THE TREND OF RECENT PRACTICE SEEMS TO BE TOWARD THE USE OF RUN-OF-BANK GRAVEL UNDER CONCRETE PAVEMENTS - PROBABLY BECAUSE IT FULFILLS THE REQUIREMENTS AT A LESSER COST, AND IS ACTUALLY BETTER ADAPTED TO SATISFY THOSE RE-QUIREMENTS. A CONCRETE PAVEMENT REQUIRES, PROSABLY MORE THAN ANY OTHER TYPE, A UNIFORM FOUNDATION SUPPORT, AND THIS IS VERY DIFFI-CULT TO DETAIN IN FOUNDATIONS CONSTRUCTED OF LARGE FRAGMENTS OF RIGIDITY OF THE SUBGRADE IS LESS NEEDFUL SINCE THE FLEXURAL RESISTANCE OF THE SLAB IS SUFFICIENT TO DISTRIBUTE THE TRAFFIC LOADS OVER A WIDE AREA OF SUPPORT. THE MAIN DESIDERATA IN FOUNDATIONS FOR CONCRETE PAVEMENTS ARE, THAT THEY BE SUFFI-CIENTLY PORQUE AND OF SUFFICIENT DEPTH TO TAKE CARE OF EXCESS WATER AND MINIMIZE FROST ACTION, AND THAT THEY FURNISH A UNIFORM SUPPORT TO THE PAVEMENT AT ALL TIMES. BROKEN SLAG, CINDERS, OR OTHER EQUALLY POROUS MATERIALS SATISFACTORILY FULFILL THESE REQUIREMENTS.

A RECENT MEREND IN SUBBASE AND FOUNDATION CONSTRUCTION IS THE USE OF A WIDTH IN EXCESS OF THAT OF THE PAVEMENT, WITH THE FOUNDATION CARRIED OUT FROM 6 INCHES TO AS MUCH AS 3 FEET ON EACH SIDE OF THE PAVEMENT AREA. THIS IS ADVANTAGEOUS IN A NUMBER OF WAYS: IT

STRENGTHENS THE SUPPORT OF THE PAVEMENT AT ITS WEAKEST POINT - THE EDGE; IT PROVIDES A MORE STABLE FOUNDATION FOR THE SHOULDERS; AND, IT PROVIDES A FOUNDATION FOR FUTURE WIDENING, WHICH MAY WELL BE ANTICIPATED ON MANY OF THE MAIN ROUTÉS AT THE TIME OF INITIAL IMPROVEMENT.

PERHAPS NOT SUFFICIENT CARE IS TAKEN TO DRAIN FREE WATER FROM THE BOTTOM OF FOUNDATION AND SUBBASE COURSES, PARTICULARLY ON GRADES. EFFECTIVELY TO INTERCEPT SUCH WATER AND CARRY IT THROUGH THE SHOULDERS REQUIRES CAREFULLY CONSTRUCTED OUTLET DRAINS, PREFERABLY EXTENDING UNDER THE FOUNDATION OR SUBBASE IN THE FORM OF SHALLOW INTERCEPTION TRENCHES, AND EMPTYING FREELY INTO THE SIDE DITCHES AT AN ELEVATION LOWER THAN THE LOWEST PART OF THE DRAIN.

IT IS SUGGESTED THAT SMALL—SIZE TILE MIGHT WELL BE INSTALLED IN THE BOTTOM OF THESE DRAINS UNDER THE SHOULDERS, BECAUSE OF THE TENDENCY OF SHALLOW BLIND DRAINS OF BROKEN STONE OR GRAVEL TO BECOME CLOGGED AND INOPERATIVE AFTER A FEW YEARS.

THE USE OF TELFORD BASE, WITH ITS MORE ELABORATE CARE IN CONSTRUCTION, HAS BEEN PRACTICALLY ABANDONED BECAUSE OF THE HIGH COST. TELFORD CONSTRUCTION MAY HAVE BEEN A GOOD INVESTMENT IN THE DAYS OF WATERBOUND MACADAM AND LOW LABOR COSTS. AND IT WAS ESPECIALLY SUITABLE AS A HEAVY BASE FOR WATERBOUND MACADAM, BUT WITH PRESENT PRICES AND THE PREVAILING TYPES OF PAVEMENTS, THERE APPEARS TO BE NO PLACE FOR THIS RATHER COSTLY REFINEMENT IN HIGH-WAY PRACTICE.

IN THE INTEREST OF AVOIDING UNFAVORABLE SUBGRADE CONDITIONS AND REDUCING THE COST OF FOUNDATION CONSTRUCTION, NEW HAMPSHIRE APPEARS TO HAVE A CONSISTENT POLICY OF AVOIDING DEEP CUTTING, AND SO LAYING THE GRADE LINE AS TO TAKE ADVANTAGE OF THE EXISTING ROAD CRUST WHEREVER PRACTICABLE, WITH THE CONSEQUENT INTRODUCTION OF BORROW FILLS FOR PURPOSES OF GRADE CORRECTION AND WIDENING. IN MASSACHUSETTS, ON THE OTHER HAND, IT IS NOT UNCOMMON FOR GRADE ELEVATIONS TO BE GOVERNED BY THE ELEVATIONS OF ABUTTING PROPERTY AND MANY HUNDRED FEET OF PREVIOUS IMPROVEMENT MAY BE TORN UP AND REPLACED WITH NEW CONSTRUCTION IN ORDER TO A VOID RAISING THE PAVEMENT SURFACE AN EXCESSIVE HEIGHT ABOVE THE ADJACENT PROPERTY ELEVATION.

THE USE OF AN INCREASED THICKNESS OF CONCRETE PAVEMENT AND HEAVIER REINFORCEMENT OVER UNSTABLE SUBGRADES HAS BEEN PRACTICED TO A LIMITED EXTENT, AND ONE STATE VARIES THE POSITION OF THE PAVEMENT REINFORCEMENT, PLACING IT NEAR THE UPPER SURFACE IN CUTS AND NEAR THE LOWER SURFACE ON FILLS, ON THE THEORY THAT HIGHER TENSILE STRESSES WILL OCCUR AT THE TOP OF THE PAVEMENT IN THE ONE CASE AND AT THE BOTTOM IN THE OTHER. THESE VARIATIONS IN DESIGN (WITHIN ECONOMICAL LIMITS) ARE, OF COURSE, ENTIRELY INADEQUATE UNDER REALLY UNFAVORABLE SUBGRACE CONDITIONS UNLESS SUPPLEMENTED BY SOME SORT OF SUBGRADE TREATMENT.

THE USE OF CLAY OR LOAM AS A MATERIAL FOR SUBGRADE TREATMENT MIGHT SEEM PARADOXICAL; BUT SUCH MATERIAL MAY SOMETIMES SE
USED ON SAND SUBGRADES VERY ADVANTAGEOUSLY. IN THESE CASES THE
PURPOSE OF THE TREATMENT IS NOT SO MUCH THE CORRECTION OF SUBGRADE
WEAKNESS AS TO IMPROVE THE FACILITY OF PAVEMENT CONSTRUCTION. IN
GENERAL, SAND SUBGRADES GIVE NO TROUBLE WHEN CONFINED BY AN ADEQUATE
PAVEMENT, BUT IT IS OFTEN IMPOSSIBLE PROPERLY TO SHAPE AND COMPACT A
SAND SUBGRADE UNLESS A SMALL QUANTITY OF CLAY OR LOAM IS SPREAD AND
ADMIXED WITH THE UPPER STRATUM OF THE SAND. THIS USE OF CLAY IS
PROVIDED IN THE STANCARD SPECIFICATIONS OF MAINE AND HAS BEEN PRACTICED VERY EFFECTIVELY ELSEWHERE UNDER THE WRITER'S OBSERVATION.

MASSACHUSETTS HAS DEVELOPED A TYPE OF CONSTRUCTION FOR THE SAND COUNTRY OF CAPE COD, AND THE SIMILAR CONDITIONS ON THE CONTIGH UOUS MAINLAND, WHICH IS AN EXCELLENT EXAMPLE OF THE ACAPTATION OF DESIGN TO LOCAL CONDITIONS AND MATERIALS AVAILABLE. HERE A SAND-ASPHALT PAVEMENT IS CONSTRUCTED, USING THE LOCAL SAND FOR AGGREGATE. FOR A SASE COURSE, 4 INCHES OF CLAY OR LOAM ARE SPREAD ON THE SAND SUBGRADE AND COMPACTED TO PROVIDE A FIRM AND SMOOTH SURFACE, ON WHICH THE SAND-ASPHALT MIXTURE IS THEN SPREAD AND COMPACTED IN TWO 2-INCH COURSES. THERE IS NO ADMIXTURE OF THE CLAY OR LOAM WITH THE SAND SUBGRADE, BUT THE MATERIAL ACTS AS A MORE OR LESS COHESIVE BLANKET WHICH PREVENTS THE DISPLACEMENT OF THE LOOSE SAND SUBGRADE DURING CONSTRUCTION, AND AFTER COMPLETION, SERVES TO DISTRIBUTE THE WHEEL LOADS TO SOME EXTENT.

THE CONDITIONS OF SOIL AND DRAINAGE IN THE NEW ENGLAND AREA ARE SO VARIABLE THAT HIGHWAY DESIGN IS NOT AMENABLE TO ANY FIXED RULES; AND THE ENGINEER IN CHARGE OF CONSTRUCTION MAY WELL BE AL-LOWED CONSIDERABLE LATITUDE IN THE EXERCISE OF HIS DISCRETION IN THE ACTUAL LOCATION OF UNDERDRAINS, EXTRA FOUNDATION, ETC. NARILY THE SUBDRAINAGE AND FOUNDATION REQUIREMENTS CAN SE DETERMINED, WITH A FAIR DEGREE OF APPROXIMATION, BY INSPECTION OF THE TERRAIN DURING THE SPRING MONTHS; BUT OFTEN CONDITIONS ARE DESERVED DURING CONSTRUCTION WHICH CAN NOT BE FORESEEN WHEN THE PLANS ARE PREPARED. PROBABLY A MORE THOROUGH STUDY OF SUBSOIL AND GROUND WATER CONDITIONS PRIOR TO PREPARATION OF THE PLANS WOULD PERMIT WORTH-WHILE ECONOMIES IN THE CISTRIBUTION OF EXPENDITURE FOR THESE ITEMS. THE JUDICIOUS USE OF A POST-HOLE AUGER IN THE SEASON OF MAXIMUM SATURATION WOULD UNDOUBTEDLY AFFORD MUCH MORE RELIABLE INFORMATION REGARDING SUBGRADE CONDITIONS THAN CAN BE OBTAINED BY ANY SUPERFICIAL EXAMINATION OF THE HIGHWAY LOCATION.

SO FAR, THE DETERMINATION OF SUBDRAINAGE AND FOUNDATION REQUIREMENTS HAS BEEN LARGELY DEPENDENT ON THE PERSONAL JUDGMENT OF THE DESIGNING ENGINEER, AND THERE HAS BEEN ONLY A LIMITED APPLICATION OF THE VALUABLE INFORMATION RESPECTING SOIL BEHAVIOR FAST



ACCUMULATING THROUGH RECENT RESEARCH. A CERTAIN AMOUNT OF INERTIA IN THIS CONNECTION IS NATURALLY TO BE EXPECTED, ESPECIALLY IN VIEW OF THE EXTREME NOVELTY OF THE SCIENCE. RULE-OF-THUMB METHODS MAY BE EXPECTED TO PREVAIL IN THIS FIELD FOR SOME TIME TO COME, PARTICULARLY WHERE RULE-OF-THUMB METHODS HAVE DEVELOPED OVER A LONG PERIOD OF YEARS TO A STAGE OF REASONABLY SUCCESSFUL PRACTICE. HOWEVER, AS TRAFFIC DEMANDS AND EXPENDITURES FOR HIGH-TYPE PAVEMENTS INCREASE, INCREASING STUDY WILL UNDOUBTEDLY BE GIVEN TO ECONOMIES IN DESIGN, AND RECOGNITION OF THE PRIMARY IMPORTANCE OF SUBGRADE SOIL ANALYSIS IN THAT CONNECTION MAY CONFIDENTLY BE EXPECTED.

PROBABLY NO EXPENDITURE FOR HIGHWAY IMPROVEMENT HAS GREATER
JUSTIFICATION THAN FUNDS PROPERLY SPENT TO CORRECT WEAK SUBGRADES.

IT IS BELIEVED PERMISSIBLE TO SAY THAT, GIVEN COMPARABLE STANDARDS
IN TYPE AND QUALITY OF PAVEMENT CONSTRUCTION, THE BEST ROADS AND THE
LOWEST MAINTENANCE COSTS WILL BE FOUND IN THOSE STATES WHICH GIVE
MOST ATTENTION TO SUBDRAINAGE, FOUNDATION DESIGN, AND SUBGRADE
TREATMENT.


NEW ASS.T.M. SPECIFICATIONS FOR PORTLAND CEMENT IN FORCE

CONTRIBUTED BY THE DIVISION OF TESTS

(NOT FOR RELEASE)

THE ATTENTION OF THE DISTRICT MATERIALS ENGINEERS IS CALLED TO THE NEW A.S.T.M. SPECIFICATIONS AND TESTS FOR PORTLAND CEMENT WHICH ARE NOW IN FORCE. THESE SPECIFICATIONS DIFFER FROM THE OLD STANDARDS IN A NUMBER OF PARTICULARS. THE PRINCIPAL CHANGES CONSIST OF THE RAISING OF THE TENSILE STRENGTH REQUIREMENTS FROM 200 TO 225 POUNDS PER SQUARE INCH AT 7 DAYS, AND FROM 300 TO 325 POUNDS PER SQUARE INCH AT 28 DAYS. THESE CHANGES WERE RECOMMENDED BY THE COMMITTEE ON CEMENT OF THE AMERICAN SOCIETY FOR TESTING MATERIALS, WITH THE APPROVAL OF THE REPRESENTATIVES OF THE PORTLAND CEMENT ASSOCIATION WHO SAT UPON THE COMMITTEE.

CERTAIN CHANGES HAVE LIKEWISE BEEN MADE IN SECTION V - REJECTION - OF THE SPECIFICATIONS. ONE CHANGE COVERS THE RETESTING OF CEMENT WHICH HAS BEEN IN STORAGE FOR PERIODS LONGER THAN SIX MONTHS, AND THE OTHER GIVES THE PURCHASER THE RIGHT TO REJECT CEMENT BASED UPON A RETEST OF THE SOUNDNESS OR THE TIME OF SETTING AT THE TIME OF DELIVERY ON THE WORK, EVEN THOUGH THE CEMENT MAY HAVE BEEN PREVIOUSLY ACCEPTED AT THE MILL.



NUMEROUS CHANGES HAVE ALSO GEEN MADE IN THE SECTION ENTITLED METHODS OF TEST. THE REQUIREMENTS RELATIVE TO TEMPERATURE CONDITIONS DURING THE TESTING PERIOD HAVE BEEN CHANGED SO AS TO PROVIDE SPECIFIC MAXIMUM AND MINIMUM TEMPERATURES AT WHICH THE VARIOUS OPERATIONS MAY BE PERFORMED. A SPECIFIC REQUIREMENT RELATIVE TO THE PRESSURE WHICH MAY BE EXERTED IN MOLDING CEMENT BRIQUETTES HAS ALSO BEEN INSERTED. THESE FEATURES WERE COVERED BY GENERAL CLAUSES ONLY IN THE OLD SPECIFICATIONS AND THE COMMITTEE FELT THAT THE LACK OF SUCH SPECIFIC REQUIREMENTS ACCOUNTED IN LARGE MEASURE FOR THE WIDE VARIATIONS IN RESULTS REPORTED BY DIFFERENT LABORATORIES ON IDENTICAL SAMPLES.

THE AMERICAN ASSOCIATION OF STATE HIGHWAY OFFICIALS HAS ALSO AMENDED ITS PORTLAND CEMENT SPECIFICATIONS IN SO FAR AS THE STRENGTH REQUIREMENTS ARE CONCERNED. THE ASSOCIATION SPECIFICATIONS HAVE ALWAYS DIFFERED FROM THE AMERICAN SOCIETY FOR TESTING MATERIALS. SPECIFICATIONS AS REGARDS CERTAIN PARAGRAPHS UNDER SECTION V - REJECTION. This section has not been amended as yet by the Association and Still differs from the New A.S.T.M. SPECIFICATIONS IN TWO IMPORTANT PARTICULARS. THE ASSOCIATION SPECIFICATIONS CONTAIN A UNIFORMITY CLAUSE WHICH STATES THAT MARKED DEVIATIONS FROM UNIFORM RESULTS MAY BE CONSIDERED CAUSE FOR REJECTION EVEN THOUGH THE TEST REQUIREMENTS MAY BE OTHERWISE FULFILLED. THE ASSOCIATION SPECIFICATIONS ALSO CONTAIN A CLAUSE WHICH PERMITS THE PURCHASER OR ENGINEER TO BASE REJECTION UPON THE RESULTS OF RETESTS AT ANY TIME, REGARDLESS OF THE RESULTS OF PREVIOUS DECISIONS. THE NEW A.S.T.M. SPECIFICATIONS LIMIT RETESTING TO DETERMINATIONS OF SOUNDNESS AND TIME OF SETTING.

THE ASSOCIATION HAS NOT AS YET REVISED ITS METHODS OF TEST TO CONFORM TO THE NEW A.S.T.M. STANDARD AND, UNTIL SUCH ACTION IS TAKEN WHICH WILL PROBABLY SE DURING THE COMING YEAR, THE BUREAU FEELS THAT THE A.S.T.M. METHODS OF TEST SHOULD BE EMPLOYED BY THE STATE HIGHWAY DEPARTMENTS.

TO A TO A CONTROL TO A CONTROL TO A STATE OF THE TOTAL TO A STATE OF THE TOTAL AND A STATE OF TH

PROGRAM OF ESTIMATED STATE AND LOCAL HIGHWAY AND BRIDGE EXPENDITURES

FOR CALENDAR YEAR - 1927.

												N A STATE OF THE PARTY OF THE P		1	
STATES	(ESTIMATEO)	TOTAL	CONSTRU	CONSTRUCTION EXPENDITURES			MAINTENANCE (1)	MISCELLANE -	ON ROADS AND	TOTAL	EARTH SAND-CLAY	SAND-CLAY.	ASPHALT.	MAINTAINED SY	STATES
	ON STATE AND LOCAL ROADS	STATE ROAD EXPENDITURES	TOTAL ROADS AND BRIDGES	ROADS	SRIDGES	STRUCT ION	ROAD	OUS INCLUDING	SR IDGES BY LOCAL AUTHORITIES	MILE-			CONCRETE, ANO BRICK	STATE HIGHWAY DEPARTMENT	
4	\$ 20.950.000	10.950.000	9.500.000	\$ 8.000,000	\$ 1.500.000	-	4 750.000	700.000	10.000.000	406	$\overline{}$	279	8	0 100	
ARIZONA				2,000,000		,	700,000	1	700,000	9	8	67	3 m	1,620	AR IZONA
ARKANBAB	16,000,000	6,900,000	4,600,000	4,000,000	000*009	•	2,000,000	300,000	9,100,000	290	280	300	R	7,500	ARKANBAB
CALIFORNIA	42,550,000	15,550,000	3,280,000	2, 500,000	780,000	6,500,000	£,000,000	170,000	27,000,000	8	1	65	1.8	6,131	CALIFORNIA
COLORADO	000,020,6	6,020,000	4,090,000	3,590,000	200,000	NONE	000,000	330,000	3,000,000	124	Ŋ	67	43	8,647	COLORADO
COMME CT 1 CUT	000 300 0	000 302 0	000 000 6	000	900		000	000 300	000 001	1		•	1		CONNECTIOUT
UEL ARARE	000,520,500	000, 175, 5	20000000	000,000	000,000	•	00,000	000,451	200,000	0 1	, }	15	8	009	DELAWARE
FLORIOA	38,674,800	18, 574, 500	000 000	000,000	3,500,000	000 000	1,977,400	300.000	20,000,000	775	275	001	004	2,104	FLORIDA
Growoia	23,600,000	2 700 000	200,000	000,000	000.000	000.001	1,500,000	000	13,500,000	9	8 8	240	9.	6,300	Gromaia
OMMO	000.000.00	200000000000000000000000000000000000000	200.000	22 25 25	200	3	2000 0000	000,000	200.00	0 10	0 0	2		20242	LOAMO
TLLINO IB	39,840,000	14.940.000	11,000,000	55.50	1,500,000	1 2	3,000,000	840.000	25,000,000	415	÷ €	١٤	1,036	6,857	וררואסום
L'one A	34.432.000	17.472.000	13, 787, 000	12,287,000	1.500.000		3.000.000	645,000	17,000,000	080	S C	210	196	E 674	424
Kaveae	33,031,000	21,031,000	18,396,000	15,842,000	2,554,000	MONE	2,500,000	135,000	12,000,000	1.598	836	2	240	8,690	Kangas
KENTUCKV	19,500,000	13,500,000	10,000,000	10,000,000	(2)	•	3,000,000	500,000	6,000,000	006	90	330	170	3,200	KENTUCKY
LOUISIANA	19,000,000	11,500,000	8,500,000	6,500,000			3,000,000		7,500,000	50	•	450	9	4,750	LOUIBIANA
MAINE	15,151,300	11,251,300	8,761,300	5,720,660	(6) 3,040,740	1	1,936,000	(4) 554,000	3,900,000	414		359	v. S	€,000	MAINE
MARYLAND	10,400,000	7,500,000	3,500,000	3,000,000	200,000		4,000,000	1	2,900,000	124	1	35	88	2,500	WARVLAND
MASSACHUSETTS	30,358,000	16,358,000	7,750,000	7,500,000	250,000	5, 500,000	3,000,000	108,000	14,000,000	240	1	2	8.	1,565	MABBACHUBETTE
MICHICAN	52,750,000	20,750,000	16,600,000	15,000,000	1,600,000	NONE	4,150,000		32,000,000	415	2	165	200		MICHIGAN
MINNEBOTA	31,700,000	14,500,000	8, 525,000	7,860,000	000*599		4,500,000	(9) 1,475,000	17,200,000	1,007	490	390	127	996'9 (01)	MINNEBOTA
Wississippi	9,630,000	4,630,000	2,780,000	2,780,000	(S)	000°02	1,700,000	100,000	E,000,000	254	231	238	55	4,000	Wiestester!
W1880UR1	28, 493, 425	14,893,825	14,543,825	13,043,825	<u>.</u>		3,000,000	(11)1,350,000	10,000,000	925	4 TO	200	122	7,640	Missouni
MONTANA	8,657,000	3,655,000	3,140,000	2, 390,000	250,000	100,000	315,000	1.	5,000,000	25.0	- 3	250	- (1,100	MONT ANA
NEBRABKA	000.001.71	000,001.	4,500,000	370,000	200		22000000	000,000	000000	015.	3	2:	2 '	200,4	NEBRABKA
NEVADA New Material	5,550,000	4 020 000	1,400,000	000	00,00		000	30000			, =	0 10	T U	200	Nevaba
New Jeanson	35.400.000	19.40.000	14.500.000	000	3,000,000	200	000	(13)2 800.000		3 5	2 9	<u> </u>		000	New Jeneral
New Mention	3 942 000	2 500 000	000 010	000	200 000	125 000	020 020		000 001	120	2	125		090 4	Men Menine
New Work	85.400.000	61.400.000	24,000,000	000.000	3.000.000	200	400.000	2006	24.000.000	1.006	n ı	9 1	000	9.781	NEW YORK
NORTH CAROLINA	(14) 25,000,000	15,000,000	11 000 000	11,000,000	3	,	4 000 000	•	10.000.000	029	•	2002	9	6.400	NOWTH CAROLINA
NO MTH DAKOTA		000 006 1	000,090	000.096	_	9000	290,000	130,000	2, 590,000	20.0	2	2	2 1	2,746	NORTH DAKOTA
OH IO	53,000,000	25,000,000	13,000,000	12,000,000	1,000,000	4,000,000	8,000,000	1	28,000,000	850	8	005	300	006*6	0410
OKL AHOMA	26,250,000	11,250,000	8,650,000	000,000.9	1,750,000	MONE	2,000,000	000,000	15,000,000	950	300	400	5	5,500	OKLAHOWA
OREDOM	15,000,000	6,750,000	3,600,000	3,000,000	000*009	400,000	2,400,000	350,000	8,250,000	252	125	125	~	3,000	ONECON
PENNBYLVANIA	(15) 84,350,000	67,850,000	49,000,000	48,000,000	1,000,000	5,000,000	12,500,000	(16)1,450,000	16,400,000	1,300	100	400	900	12,033	PENNBYLVANIA
RHOOF IBLAND	7,475,000	000'039'9	5,650,000	2,500,000	(17) 3,150,000	1	825,000	175,000	925,000	44	-	٠	44	0.5₽	RHODE IBLAND
SOUTH CAROLINA	23,925,000	12,925,000	10,250,000	9,250,000	1,000,000	475,000	2,200,000	1	11,000,000	009	,	350	250	5,250	SOUTH CAROLINA
SOUTH DAKDTA	10,456,650	3,956,650	2, 344, F00	2,100,000	244,500	460,350	836,800	315,000	6,500,000	02.4	•	0.4	1	4, 69	SOUTH OAKOTA
ENNEBBEE	37,000,000	20,000,000	16,000,000	10,150,000	5,850,000	1	4,000,000	1	17.000,000	622	223	113	193	2,000	TENNEBBEE
TEXAB	31,000,000	22,000,000	13,350,000	11,350,000	2,000,000	000,000	7,000,000	000.039	300,000,6	900	9	00.	500	18,000	TEXAB
VERMINE	3,70,000	2,240,000	000,000	000	000	140,000	200,000	•	000.000	3	•	£ 6	- 0	3,300	CT AM
Vientia		12 080 050	000,000,000	000	000 °000	1 1	026 320 2	064 163	000	225	. 2	3 5	2 2	3,000	VERMONT
WAEMINOTON	13.620.000	9.250,000	7.250.000	6.250,000	1,000,000	650.000	1.250.000	100,000	9.370,000	385	170	18.	2 2	2,200	WARELEGING
Wray Viscinia	(14) 17, 300,000	300,000	600.000	000 000	000		000 000	200	000.000	426	2 6	9	34	00210	Series Vincent
With the state of	27. 27. 000	24 62 000	000 636 64	000 636 38		000 000	000		200		3	2 4	24.5	000 00 (01)	TEST VIRGINIA
WY OW ING	4.214.000	3.215.000	2,180,000	1,700,000	480.000	00.60	666,000	260.000	000 866	350	0.81	000	_		Wychelino
														100	
TOTALS	1,123,607,055	648,443,055	477.356.930	000 ASB 00A	040 674 93	20 000 000	000 000	202 010		11.0	11111		40.	110	10
				200000000	2000011000	0.00000000	125, e39, 710	18, 536, 555	475,124,000	26,841	6,957	12,395	7,489	239,847	FOTALS

THE MODED DATA IS REPORTED BY THE STATE HIDMBAY DEPARTMENTS OF THE RESECTIVE STATES WITH BUT FEW EXCEPTIONS AS NOTED. THE FIDURES WHICH ARE CONSERVATIVE ESTIMATES AS A RULE, REPRESENT PRELIMINARY BUCGETS.
EXCEPT THAT ROAD SHOW, PAYMENTS WHICH AMOUNT TO OVER \$100,000 ARE EXCLUDED. REMARKS:

(1) SOME STATES INCLUDE RECONSTRUCTION OF MODE COSTS IN MAINTENANCE EXPENSES AND WHEN SO REPORTED. IN CONSTRUCTION IS INCLUDED WITH CONSTRUCTION IS INCLUDED. WITH CONSTRUCTION OF THE STATE INCLUDE OF ONE STEPHNESS AS TREVERSES AS TREVERSES AS TREVERSES AND PREVIOUS SOURCE. IT LANGOUS EXPENSES AND STREPHNESS AND PREVIOUS OF THE STATE IN CONSTRUCTION AND MAINTENANCE. IT LANGOUS EXPRESSES AND STREPHNESS AND PREVIOUS OF THE STATE OF T

MAINTAINS 12,200 MILES OF LOCAL SVSTEM.



UNITED STATES DEPARTMENT OF AGRICULTURE BUREAU OF PUBLIC ROADS

MOTOR VEHICLE REGISTRATION EEES, LICENSES, PERMITS, EINES, ETC. 1926 ALSO GROSS RECEIPTS AND DISPOSITION OF EUND (1)

W-2 (1926) R.S.A.

	STATES	EOR AND OTHER DISTRICT OF PURPOSES COLUMBIA	137 ALABAMA - AR1ZONA - ARKANSAS - ARKANSAS - ARKANSAS	1	- CONNECTION - DELAWARE	- FLOR 19A	- GEORGIA	ILLINOIS	- IOWA	- KANSAS KENTUCKY	383,231 LOUISIANA		AASSACHUSETTS	1,207,825 MICHIGAN	- MINYESOTA	MISSOURI	- MONTANA	- NEBRASKA	NEW HAMPSHIRE	- NEW JERSEY	2,727,120 NEW MEXICO		CIHO -	- OKLAHOWA	491,770 PENNSYLVANIA		SOUTH CAROLINA	TENNESSEE	TEXAS						
ptol		TE AND NTY ROAD DS (4)	(C) 1, 802, 163	-	1 1	,		F,F10,843			54,425 (7)	653, 663 (3)	E .	(30)	c)3, F10,000	3,651,935	-		•	-	- (11) 2	1 1	- (14)	•	F,001,400 (15)			,	0000	200	,		2.246.213 (17)		
Stellanse Broslets	5	HICHMAY PURPOSES LOCAL STA ROAOS COU	\$ 560,258 \$ 604,367 (6	716,005	, ,	1,684,951	1,242,752			1,888,718	,	1	, ,	6,000,000	1.914.210		989, 595	2,477,035		4,174,391	158,574	200 040	۵,		1,464,440		1.166,006	1,633,643	3,376,007	, ,	1		857, 692	857,692	3,310,000
NC111809P10	No. 1 Constant	STATE HIGHWAYS	1,176,405	716,005	6,220,669	4,957,406	143,179	3,536,365 4,822,369	9,851,122	3, 525, 100	3,457,302	1,400,893	12,049,023	0,745,860	6, 366, 560	2,860,049	-	1,062,487	1,615,370	7.45E.070	317,149	9,250,000	4,909,437	2,166,018	4, 363, 319	1,737,493	1,214,590	1,683,643	10,486,376	1,610,627	4,352,044	The real Property lies, in such lies, in case of	4,543,424	4,543,424 837,073 5,214,738	4,548,424 837,073 5,214,738
		COLLECTION AND ADMIN- ISTRATION	\$(F) 111,262 \$ 18,600 73,433	74,369		122,111	119,703	270.307	357,294	174,358	93,508	175,809	1,028,834	1	1 20.303	1,301,041	35,788	96,675	95, 555	240,068	38,020	150,000	(13)	40,000	200,000	175,400	48.584	214,000		956,38	272,431		213,071	218,071 232,837 549,752	218,071 232,837 F49,752 -
010	2	OTHER MISCEL- LANEOUS	3,586 35,872 15,498	284	492, 816 23, FF2	6,623	10,611	393,444		68.700	157,142	115,437	792,157	942,092	37,963		98,149	123,004	91,981	1,006,919	13,363	136 OF	3,339,627		3.898.923	127,549	20.179		,	25,860	296,462		9,319	9,319 248,434 109,6F0	9,319 248,434 109,6F0 547 233,229
NOAR YEAR) (2)	LAMEGOO ACCE	CHAUEFEUR 8 OPERATOR PERMITB	9,243 4,294 23,911	21,108	147,465	16,231	6, 140 ES	370,314	-	17.761	,	377,854	1,527,902	265,733	20,736	1	929	1	240,095	2,224,703	2,367,433	, ,			1.406.800	2:3,260	<u>?</u>	,	,	189,312	38,073		134,075	431,816 134,075 170,450	431,816 134,075 170,450 - 204,122
(FOR CALENDAR YEAR)	MISCE	DEALERS!	3,304 4,543 5,798	26,733	70,465	33,351	23, 495	91,072	,	2,610	1	44,220	109,666	94,462	39,338	,	33,825	40,299	26,800	66,310	159,652			'	329,913	13,720	26.276	,		29,497	56,914	The second secon	37,619 52,396	47,619 52,396 91,519	97,619 72,396 91,519 9,102
		VEHICLES RB MOTOR- CYCLES	\$ F96			5,302		20,300	L	103			41,675				1,178	4,103	8,643	14,470			1				1.104	,		4,234	7,422		14, 328	14, 928 5,001 18, 364	14, 828 5,001 18, 364 358
3		TRAILERS			3,167					, ,			20,05		13,026	,	,				59,815				34.801		16,358	t	ı	1	4.005		~		
RESISTANTION RECEIPTS (1)	וטא אבנב ורוס	PTS TRUCKS A TRACTORS	2,673,157	226,611	1,075,493	1	216,051	3,112,507		HF4.574		379,253	3,451,692	3, 320, 825	179,069		143,730	507,575) 1	3,367,572	3,222	101		1	816,719	408,831	285,888		,	158,632	£39.227		1,205,051	1,205,091	1,205,051 515,223 1,476,433 25,472 21,742
RESTOTAT	שרופוסוים.	MOTOR CAR RECEIPTS PASSENGER TR CARS A BUSSES TR	+ + + + + + + + + + + + + + + + + + + +		3,675,495	-	1,127,940	9,996,135	-	3.142.977		1,425,202	7,134,754	11,647,731	8,076,504		751,875	2,966,116	١,	5,135,531	18,064,298	1 154 471	1	1	12,746,483	1,154,236	2.106,000	,	,	1,245,047	3,612,242		2,266,572	4,266,572 2,771,375 7,207,564	4,266,572 2,771,375 7,207,564 393,899 98,986
		TOTAL FROM H	2, 873, 119 422, 490 3, 611, 161	1,455,452	4,751,3d8 592,964	6,702,911	1,343,991	13,103,642		4.007.551	3, 336, 324	1,804,455	10,586,446	15,463,556	9,855,487		895,605	3,463,691	1,343,381	8, 503, 103	490,355	7. FAR. 5.26	1.430.246		16,338,532	1,563,067	2,401,300			1,447,679	4,251,509		3,286,593	5,472,663 3,286,593 8,683,997	5,472,663 3,286,593 3,683,997 439,371
	TOTAL	GRO6S RECEIPTS	\$ 2,439,252 467,795 3,656,363	1,507,379	6,220,668	6,764,463	1,385,930	14,047,203	10,203,416	4,303,130	3,993,466	2,355,365	13,077,857	16,953,685	9,976,560	7,903,025	1,029,383	3,636,097	1,710,905	11,370,529	513,743 28,78F,421	(12) 9,400,000	9, 318, 873	5, F15, 04F	6,017,759	1,962,893	2,429,130	3, 501,296	14,362,833	1, 696, 542	4,624,475		3,723,935	6,056,003 3,724,935 9,074,490	6,055,003 3,723,935 9,074,490 499,873 566,312
	STATES	AND OISTRICT OF COLUMBIA	ALABAWA ARIZONA ARKANSA CALIFORNIA	COLORADO	CONNECT ICUT DELAMARE	FLORIDA	SEONG IA	ILLINOIS	I OMA •	KANSAS •	LOUISIANA	MAINE	WASSACHUSETTS	MICHI, AN	VINNESOTA	WISSOURI .	MONTANA	NEBRASKA	VEN HAMPSHIRE	VEA JERSEY	NEW WEXTOO	NORTH CAROLINA .	OHIO	OKLAHOMA .	OREGON PENNSYLVANIA	RHDDE ISLAND	SOUTH CAROLINA	TENNESSEE .	TEXAS .	VERVONT	VIRGINIA		AASHINGTON AEST VIRGINIA	AASHINGTON AEST VIRGINIA AISCONSIN	AASHINGTON AEST VIRGINIA AISCONSIN AYOMING DIST. OF COL.

(1) FINNOLIAL DATA DALY ON THIS TABLE: FOR NUMBER OF REGISTRATIONS, LICENSES, ETC. SEE TABLE MV-1 (1926) (2) ALL STATES REPORT ANYOUNTS FOR CALENDARY DATA STATES STARRED DO NOT BHOW COMPLETE RECEIPT DETAILS AND ARE NOT INCLUDED 11 TOTALS UNDER FLAST NINE RECEIPT TOLLANDS WITHOUT STATES STARRED DO NOT BHOW COMPLETE RECEIPT DETAILS AND SUCH TOTALS AND SUCH TOTAL HERE AS FOLLOWS: AND SUCH TOTAL HERE AS FOLLOWS:

"SUCH TO AND SUCH TOTAL AND SUCH TOTAL HERE AS FOLLOWS: AND SUCH TOTAL HERE AS FOLLOWS: AND SUCH TOTAL HERE AS FOLLOWS:

"SUCH TO AND SUCH TOTAL AND SUCH TOTAL HERE AS FOLLOWS:

"SUCH TO AND SUCH TOTAL AND SUCH TOTAL HERE AS FOLLOWS:

"SUCH TO AND SUCH TOTAL AND SUCH TOTAL HERE AS FOLLOWS:

"SUCH TO AND SUCH TOTAL AND SUCH TOTAL TOTAL HERE AS FOLLOWS:

"SUCH TOTAL AND SUCH TOTAL AND SUCH TOTAL TOTAL HERE AS FOLLOWS:

"SUCH TO AND SUCH TOTAL AND SUCH TOTAL AND SUCH TOTAL TOTAL HERE AS FOLLOWS:

"SUCH TO AND SUCH TOTAL AND SUC VOTES:



MOTOR VEHICLE REGISTRATIONS, 1926 (1)

(CALENDAR YEAR) (2)

	1 ND 1 1 100-1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	(3) 1926-18C151ERED MOIOH VEHICLES, THO IN DUALLY A. COMMERCIALLY GWINE REGISTERED AUTOMOBILES TRUCKS A. AGONG CARS. AND TRUCKS TAXIS AND ROAD AND TRUCKS TAXIS TAXI	VEHICLES, LY OWNED MOTOR TRUCKS & ROAD	VEHICLES TRAILERS MOTO	MOTOR- CYCLES	CARS AND M	CARB LOCAL MOTOR CARB AND MOTORCYCLES U. S. AND CARB LOCAL CARB	MOTOR- CYCLES	DEALERS C	OR PERMITS (AUTOR)	TOB)	1926 GRAND TOTAL REGISTERED MOTOR CARS	YEAR'S INCREASE MOTOR YEHICLE REGISIRALIONS NUMBER PER CENT	EASE MOTOR BIBAL IONS PER CENT	STATES AND OISTRICT OF
ANO GENERAL AND GE	10 TOTAL 18 TEREO 18 TRUCKS 1225, 930 73, 642 209, 413 600, 475 600, 475 600, 475 600, 475 44, 434 44, 434 44, 434 47, 468	PASSENGER AUTOMOBILES TAX IS AND BUSSES 197, 983 63, 294 179, 480 1,384, 182	MOTOR TRUCKS & ROAD	TRAILERS		U. S.	STATE AND LOCAL	MOTOR- CYCLES	DEALERS	900.400	Annual Coloring	REGISTERED MOTOR CARS	NUMBER	PER CENT	
LUMBIA NOTCE OF REGION WOTCE OF SECONDARY AND		a 5400	TRUCKS & ROAD	TRAILERS	MOTOR- CYCLES	u. s.	LOCAL	MOTOR- CYCLES		90011000	Charle Common	MOTOR CARS	NUMBER	PER CENT	
A A B B B B B B B B B B B B B B B B B B	00000000	2 4 8 V			9110	CADA	2502	2000		OPERATORS	CHAUP PEUMS	ONA			
A A A A A A A A A A A A A A A A A A A	_		TRACTORS			2	CARS	(OFF 1C.)				TRUCKS			
A A A B A B A B A B A B A B A B A B A B			27,947	983	404	167	1	•	447	•	1,813	194,580	31,350	16.1	ALABANA
A A A A A A A A A A A A A A A A A A A	-		10,398	,	337	176	676	,	232	86,221	192	620*89	5,653	8.3	ARIZONA
A A A A A A A A A A A A A A A A A A A	+		29,939	1,584	279			,	727		5,131	183, 589	25,830	14.1	ARKANGAS
A A A A A A A A A A A A A A A A A A A			7	2	10,353	-	7) 20,248	0.14	3,194	1	(8)	1,440,141	159,934		CALIFORNIA
A A A A A A A A A A A A A A A A A A A		200, 100	20,905	98 (6)	094.	283	7 (01)	,	3.400	200.057	241.	240,097	315,8	10 c	COLORADO
A A A A A A A A A A A A A A A A A A A	_		٠	98	3,108		2,25		5,231	252,253		250,669	12,566	2.0	CONNECTION
A A A A A A A A A A A A A A A A A A A	-	36,246		661	345	4 1	1 4		530	45,067	4,038	40,140	4,694	7.1.	DELAWARE
AND	94,760	-	(11) 69,670	(12) 1,000	1,390	75	2,926	9	3,295	,	10,854	286, 388	115,174	40.5	FLORIOA
18 A A A A A A A A A A A A A A A A A A A	94,760	241,949	35,519		2	934		,	864	ı	3,197	248,093	29,375	25.3	Gronela
ANA		8E, 239	8,421	180	6 B3		1,125	56	402		414	81,506	13,254	5.3	IDAMO
AND NAD NAD NAD NAD NAD NAD NAD NAD NAD	1,370,503	1,195,897	174,606	3,258	6,156	_		(14)-	4,703	1	93,368	1,263,177	107,326	ص ت.	ILL INOIS
ANA MO MO MO MO MO MO MO MO MO MO MO MO MO	772,326	665,126	107,200	2,697	3,738	3,184	3,593	,	2,489	,	39,828	725,410	46,916	6.5	INDIANA
ANA ANA ANA HOSTTS ANA OTA OTA IRI IRI	698,998	-		153	1,934	44	2,700	49	162.2	,	11.047	659,202	39,796	0.9	OWA
ANA ANA ANA ANA ANA ANA BIPPI	491,276	_	(5) 49,903	1,22,1	1,330	1 92	2,150	2	2,534			457,033	34,243	7.5	Kavsas
AND MOST TE 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	281,557	252,632	28,925	(15) -	672	8	1,444	40	3.18	1	9,299	261,647	19,910	1.6	KENTUCKY
AG TTS 1.0 TA 1.	239,500	204,000	35,500		200	508	,	'		,	,	201,000	32,500	15.7	LOUIBIANA
A88ACHUSETT8 CM10AC INC. 507A 1881881PPT 1881881PPT CM1ANA ENDARA EVADA	151.436	124,158	27,328	148	1,124	2 9	0.00	F	1,210	173,917	6,327	140,499	10,987	7.8	MAINE
ASSACTURETTS 1CHIOAN 1NKE STA 1SC18SIPPI 1SC18SIPPI ISC18SIPPI ISC18SIPPI ESCURI	252, 452	240,743	12,109	634	4,039	1,969	1	1	6,027	37,938	39,816	234,247	18,605	0°2	WARYLAND
CHIGA- C	690,190			464	9,215	_	000	١.	2,134	763,951	1.	646,153	44,037	6.8	MASSACHUSETTS
NACEOTA ESISSIPPI MISURI BRANKA	113,785	4	(5) 149,099	13,628	3,438	7	7	(14)	2,133	224,697	81.382	986,010	129,775	13.1	MICHIGAN
ESISSIPPI BECURI NIANA LEFASKA	630,285	EKG, 123	71,157	2,666	2,551	252	306	•	2,193	1		269,694	60, 591	10.6	WINNE BOTA
BSOUR! NTANA EPABKA VADA	205.200	134,133	21,067	757	86	74	_	34)	5,468		, ;	177,262	27,933	16.3	MISSISSIPPI
NT ANA LEPABRA EVADA	66.5	587,855	66, 698	1,489	5,005	311	1,350	ιo.	2,293	5,242	24,933	604,166	80° 388	20	MISSOURI
EVADA	103,958	-	15,118		182	529	1,026	=	447	•	384	94,656	9,302	60	MONTANA
EVADA	366,773		(11) 28,734		1,268	526		1	2,834			338,719	28,054	8.3	NESPASKA
	24,014	15,300	4.714	8	8	42	379	1	0 1	1	1	21,169	2,845	13.4	NEVADA
NEW HAMPSHIRE	85,001	78,400	10,601	535	1,440	25	300	'	4 6	000,000	25,050	81,498	, 503 20 02	, c	NEW HAMPSHIRE
NEW JERSEY	651,415	531, 702	119,713	1,602	7,235	ROZ	7,251		2,460	745,659		580,554	10,861	2.5	NEW JERBEY
8	966 7	F3,173	1, 423	143	500	_	527	NO.		1 9		49,111	7,885 0.00	0.0	New Mexico
	1, 315, 434	1,508,314	307,120	F,175	19,303		(16) 10,847	•	_	1,568,540	554°7F9	1, 625, 583	189,851	11.7	NEW YORK
4 2	(14)38E.047	352,217	32, 830	200	870	429	4,110	1	9,157			340,287	44,760	13.1	NORTH CAROLINA
H DAKOTA	157,822	145,571	12,251		305	5	122	1				144,972	12,850	20.00	NONTH DAKOTA
	1,480,246		185.226	0818180	051515	202.2	7,418	8/2	2.77	•	\$,705	200,400	200,000	7. C	3
CKLAHOMA	459,936		(20) 45, 483		611	050		' 6	. 6	' :		240 CAS	2000	0 0	UKLAHOMA
	233,568	214,946	18,622	215	2,123	147	4.75	95	2 5	44,577	2° X 8	216,555	17,015	5.0	ONEGON
	100	1,264, ac.	190,731	3,313	13,672	1,393	3.047	937	28,167	1837, 189	•	1,330,433	125,751	5,0	PENNBAL VANIA
HHOUS ISLAND	110,745	200.100	18,948	4 6	505.1	90	110	?	273	059,421		101,136	066.60	0 1	HHODE ISLAND
SOUTH CAROLINA	181,189	153,551	17,638	900.1	270	- n	5,043	1	613	22	,	168,496	12,693	٠.٠	SOUTH CAROLINA
SOUTH DAKOTA	168,230	153,040	14,390	1	642	D 1		1	1.001			168,028	25	- :	SEUTH UARSTA
ENNI 88EE	279, 639	2-4,342	25,297	- 12	12	132	(16) 2,066	-	599	•		244,126	37,013	4:5	
TEXAB 1.	.049, 369	944,905	104,964	6,920	5,679	_		•	3,635		10,978	٠.	74,786	7.7	TEXAB
UTAH	84,340;	72,830	12,500	430	676		(16) 705	1				(21) 73,427	568,11	16.3	¥
VERMONT	74,063	69,524	6, 539	133	909	58		'	100	66,154	13,432	69,576	4,487	P.9	VERMONT
VIRGINIA	322, F14	273,764	48,850	4.57	2,125	-	(16) 2, 51	471	3.915	'	8,700	282,650	39,964	14.1	VIRGINIA
AASH INGTON	363,279	310,386	52,493	1,826	2,740	637	4,260	153	4,914	427,507	1	329,442	34,837	10.6	WASH ING TON
Mi. BT VIRGINIA	227, 436	201,645	26,191	_	1,273	33	2,007	'	12,011	60,355	27,000	217,589	10.247	4.7	WERT VIRGILIA
MISCONSIN	662,232	581,994	90,248	- (31)	3,107	35	4 64	94	2,785	681,800	,	694,386	968,79	11.4	WIBCONSIN
Avoving	40, 43,3	44,358	5, 525		179	509	212	'	293		1	47,711	2,172	4.6	WYOMING
ist. or Cot.	111,497	97,794	13,703		1,327	837	2,006	194	1,906	70,146	-	103,092		8.2	DIST. OF COL.
101ALS 22,	22,001,393	19,237,171	2,764,222	99,430	131,546	22) 33,179	102,762	3,133	137,064 7	7,258,831	1,007,296	(21)	2,064,119	10.3	TOTALS
	1														

(1) THIS TABLE LISTS ONLY THE NUMBER OF WOODS VEHICLE RECISTAATIONS, LICENSES AND PERMITS: FOR THE FINANCIAL STATEMENT SEC. (3) THE FIRST 3 COLUMNS REPORT CALENDAR VERA FOOLSTEP PASSENGES BY RECURSE TO THE RECULARLY RECISIONED MOTOR CARS AND TRUCKS AND OF THE RECULAR FOR THE RECULAR PROSPECT OF RECULAR PROSPECT OF RECULAR PROSPECT OF RECULAR PROSPECT OF PASSENGES BENIEFE CARS AND TRUCKS AND THOUGH AND PROJECT SERVICE TRUCKS AND RECORD THE REVICE TRUCKS AND RECORD THE REVICE TRUCKS AND THE EXTENT AND KINDS OF SUS SERVICE FROM NON-GOVERNMENT SOURCE CAN SET OF THE COLUMN. SOME STATES INCLUDE STATE SHOULD TRUCKS. SPECIAL TABLES BY NOTED.

(F) BUSSES INCLUDES PROJECT STATE WHY MOTOR TRAILERS OF WHICH 1490 ARE OFFICE CORPORATIONS. (7) INCLUDES REPORTED TRAILERS OF WHICH OFFICE STATE SHOULD WITH AND PROJECT STATE STATE SHOULD WITH AND PROJECT STATE SHOULD WITH AND PROJECT SHOULD WITH AND (18) FIGURES ESTIMATED FOR LAST SIX MONTHS OF CALENDAN YEAR AS RECISTAATION BEGINS ON JULY EST. (19) ESTIMATED AS TRAILERS AND MOTORCYCLES REPORTED TOCETHER (20) EXCLUDEN 16,274 AGRICULTUMBL. TO ANY STATE. N.YES



UNITED STATES DEPARTMENT OF AGRICULTURE BUREAU OF PURLIC ROADS

G-1 (1926) R. S. A.

TOTAL TAXES EARNED ON MOTOR VEHICLE FUEL, REFUNDS ON GROSS TAX, DISPOSITION OF FUND AND CALLDNS OF TAXED GASOLINE CONSUMED.

Court Cour	011110	ASSESSED	DECLINOS.	INC SOMENON								LIVE ICCO LC		
	AND	PRIOR TO DE-	;		COLLECTION	CONSTRUCTION	1	STATE AND	FOR	CENTS PER	DATE	TAXED AND USED	SALLONS (NDT	STALES
1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1,	DISTRICT OF COLUMBIA	DUCT 10N OF REFUNDS		ES (1)	COSTS (2)	STATE HWYS.	LOCAL	RDAD BONO	MISCELLANEOUS PURPOSE8	GALLON	-	8Y MDTDR VEH ICLES	TAXED)USED BY MDTOR VEHICLES	DISTRICT OF COLUMBIA
1,7,7,100 1,7,7,100 1,00	ALABAMA		1		9,582	•	2,549,069			-		127,932,538		AL ABAWA
1. 1. 1. 1. 1. 1. 1. 1.	AR I ZONA	1,206,660	**	978,264	1		_		1		'	32,608,821	1	AR I ZONA
10 1 1 1 1 1 1 1 1 1	CAL IFORNIA	17,910,077		3,545,304		8,251,062			1 1	4 0		89,632,594	, ,	CALIFORNIA
1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1,	COLORADO	2,169,456		2,091,749	(F) -	1,045,875	1,045,874	;	1	2 2		104,587,460	•	COLORADO
1, 18, 18, 18, 18, 18, 18, 18, 18, 18,	CONNECT ICUT	2,689,372	1	2,689,372	•	2,689,372		•		2		134,468,607	,	CONNECT I CUT
1, 15, 15, 17, 17, 17, 18, 18, 17, 18, 18, 18, 18, 18, 18, 18, 18, 18, 18	DELAWARE	11 421 436		390,414	1 2	390,414	2 366 771		•	~ ~	,	19,520,687	,	DELAWARE
1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1,	GEORGIA	F 653, 140		5 653 140	4 200	0 200 000	1 69 2 987			1	•	161 610 706		FLUKIUA
1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1,	IDAHO	1,182,584		1,122,217	6, 820	1,115,397	200 10 1	, ,	9		. ,	37,403,986	' ;	IDAHO I
Column C	ILL IND IS	,		1	,		,	•			NO TAX		650,000,000	1LL 1NO 1S
1,000,000 1,00	INDIAMA	9,213,828		8,971,741	11,902	5,973,226	2,986,613	-	•	3 3	1	299,058,025	,	INDIANA
Name	CWA	5,020,036		4,842,427		1,610,564	3,221,127	-	,	2 2	1	242,121,370	1	IOWA
1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1,	KANSAS	4,406,653		4,303,388		3,576,210	727,178			~		215,169,393	,	KANSAS
1,15,15,15,15,15,15,15,15,15,15,15,15,15	FEN DORY	2 708 567	, ,	2 708 567		2 708 567		•	•	200	2/21/26	103,477,662		KENTUCKY
1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1,	MAINE	1 964 595	0	1 823 346	10.069	1 611 064	210 002	•		2	-	135,428,367	'	LOUISIANA
10.755.109 Fr.6.333 10.108.776 4.7764.422 11.2711.557 4.022.070 1.0.272	MARYLAND	2,357,577		2,293,854	2,500	1,833,083	20200			2 0	1 1	114,692,672		MARY I AND
10,725,109 Free F	MASSACHUSETTS	•	_	,	1		,	,		0	NO TAX	,	280,000,000	WASSACHUSETTS
13 15 15 15 15 15 15 15	MICHIGAN	10,758,109		10,081,776	23,737	4,764,422		4,082,060	•	2	•	504,088,814	. 1	MICHIGAN
1, 10, 10 1, 1	MINNESOTA			4,804,638		4,804,688		ľ		2 -		240,234,332	1	MINNESOTA
1,000,000 1,00	MISSOIRI			4,088,200	50.698	F. 60F. 447				ى د	4/1/26	237 057 220	,	MISSISSIPPI
3,055,705 3,022,907 20,029,907 20,029,909 20,02	WONTAWA	370,712		870,712		131,002	477,707	ı		u ~		43,535,576	. 1	MONTANA
Table Tabl	NEBRASKA	3,055,705		3,039,927	7,028	3,032,899		1		2 2	-	151,996,357	,	NEBRASKA
1,000, 150, 150, 150, 150, 150, 150, 15	NEVADA	433,820		405,813	1	202,909	505,909			4		10,145,454		NEVADA
11,044 36,571 7,786,473 26,629,368 737,423 26,629,368 737,423 26,629,368 737,423 26,629,368 737,424 26,629,368 737,426 26,629,368 26,629,369 26,629,368 26,629,368 26,629,368 26,629,368 26,629,368 26,629,368 26,629,368 26,629,368 26,629,368 26,629,369 2	NEW JERSEY	204,107		762 * 597	1 1	20.00	, ,			N C		38,429,100	- 350	NEA HAWPSHIRE
1,081,531 396,433 398,433	NEW MEXICO	762, 351		762,851	25,428	737,423	,.		-	3		25,428,358	200,000,000	NEW MEXICO
1,033_E3 356_573 376_573	NEA YORK	1				•	٠ ،	¢.		0	No TAX	,	720,000,000	NEW YORK
13.556.234 389.434 389.435	NORTH CAROLINA	8,113,044		7,786,473		16) 7,786,473	,	- (91)		4	1	194,661,825		NORTH CAROLINA
Carry Carr	DELO DAKOTA	1,083,531	ľ	988,493		820, 101	, , ,	-	1	2	7/31/26	73,689,462	1	πl
1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1,	OKI AHOWA	6.237.989	(18)	6 212 409	(00)	7,365,770	3,314,316	1		2 -	•	662,863,296	,	OHO
Carron C	ORFGON	3,536,142		3,333,829		3, 126, 136	200,000	, ,		2 -	,	313 463 634		OKLAHOWA
4,89,024 117,128 511,386 (21) 2,51,896 21 1 <t< td=""><td>PENNSYLVANIA</td><td>(20)11,781,782</td><td></td><td>11,781,782</td><td>1</td><td>8,709,213</td><td>2,903,071</td><td>•</td><td></td><td>2 0</td><td>, ,</td><td>588, 379, 021</td><td>. ,</td><td>PENNSYI VANIA</td></t<>	PENNSYLVANIA	(20)11,781,782		11,781,782	1	8,709,213	2,903,071	•		2 0	, ,	588, 379, 021	. ,	PENNSYI VANIA
2,265, 594 8,726 4,496,968 (21) 2,698,181 1,793,787 - 2,698,784 - 2,698,181 1,793,787 - 3 3 3 7 4,496,968 - 9,932,322 - 1,284,174 - 5,001H - 2,688,783 - 1,284,174 - 2,184,174 - 2,184,174 - 1,284,174 - 1,284,174 - 1,284,174 - 1,284,174 - 1,284,174 - 1,284,174 - 2,226,688 - 1,284,174 - 1,284,174 - 2,226,688 - 1,284,174 - 1,284,174 - 1,284,174 - 1,284,174 - 1,284,174 - 1,284,174 - 1,284,174 - 1,284,174 - 1,284,174 - 1,284,174 - 1,284,174 - 1,284,174 - 1,284,174 - 1,284,174 - 1,284,174 - 1,284,174 - 1,284,174 - 1,284,174 - 1,	RHDDE ISLAND	629,024	=	511,896	(21) -	511,896	•	1		-	,	51,139,641	1	RHODE I SLAND
352, 524 350,003 1,922,734 35, 524 35, 524 35, 524 35, 524 35, 524 35, 524 35, 524 35, 524 35, 524 35, 524 35, 524 35, 524 35, 524 35, 524 35, 524 35, 524 35, 524 35, 524 34, 524 3	SOUTH CAROLINA	4,505,694		4,496,968		2,698,181	1,793,787	,		LC CM	٠,	99,939,352	,	SOUTH CAROLINA
5,224,009 1,123 5,226,836 3,90,164	TENNESSEE	2,284,761		7,924,758	20 62	1,924,758	,	,		201	•	F4,158,589	,	SOUTH DAKOTA
1.2F8,009 - 1.258,009 - 1.258,009 - 1.258,009 - 1.057,159 - 197,100 - 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	TEXAS	5,224,009		5,226,836	20.00	3,920,164			_	7-		522 689 678		TENNESSEE
6,159,023 2,53,023 (23) 2 1 1 1 1 1 2 3 2 2	UTAH	1,258,009		1,258,009	3,750	1,057,159	,	197,100			•	35.943.117		IITAH
1,020,056	VERYONT	553,093		553,093		553,093	,	•	•		•	27,654,594	1	VERMONT
3,001,131 78.55 3,428,093 (25) - 3,429,093 - 174,104,636 - 135,001,131 78.55 3,438,093	VI ACTION IN	6,158,124	1	5,855,670		3,903,316	1,951,657	,	•		3/11/26	135,814,061	•	VIRGINIA
5.373.667 163.862 5.203.805 5.238.574 2.961.250 2.228.574 2.961.250 2.228.574 2.961.250 2.228.574 2.928.57	AEST VIRGINIA	3,701,675		3,482,093	(52)	3,442,093	•	- (20)			·	174,104,636	,	WASHINGTON
F71,449 2,860 568,589 - 568,589 - (24) 1,020,050 4,187 1,015,193 - 2,743,572 - 4,000,000 1015,193 - 2,743,572 - 4,000,000 1014,180 - 187,603,231 238,897 129,441,520 43,609,479 5,238,869 9,074,466 Aver. 2,38 7,933,943,560 1,905,000,000 1014,180	MISODNIN	5,373,667	_	5.209.805		2.238.574	2.961.250	1 (.5)	. ,		. ,	360 480 363	,	WEST VIRGINIA
1,020,050 4,1857 1,015,193	SVINCYA	571,449		568,589	!	568, 589			1	20 0	, 1	202,420,506	٠,	A LOCONO IN
- 187,603,231 233,887 129,441,520 43,609,479 5,233,869 9,074,466 Aver. 2.38 7,833,833,835,560 1,305,000,000	DIST. OF COL.	1,020,050		1,015,193	,	-	1	,		1	,	50,759,671	' '	9
	TOTALS	1	'	187,603,231	238,897	129,441,520	43,609,479	5,238,869	9,074,466	AVER.	80	7,883,983,560	1,905,000,000	TDTALS

(1) THIS IS THE NET TAX AFTER DEDUCTION OF REFUNDS FOR EXEMPTIONS ACCORDING TO LAW AND REPRESENTS THE ACTUAL TAXES AVAILABLE FOR DISPOSAL: THE FIRST TWO COLUMNS SHOW ONLY THE PROCEDURE AND ARE VOTED TO 4 CENTS ON JANUARY 4, 1927. (4) ALLOTTED BY APPROPRIATION DUT OF 38.00 LINE TAX FUND. (5) FOR STATE SEREAL TRANSPORT AT LOW ONLY ALLOTTED BY APPROPRIATION DUT OF 38.00 LINE TAX FUND. (6) FOR STATE SEREAL TRANSPORT AT LOW ONLY FALL TO PROTECT STATE SEREAL TRANSPORT AT LOW ONLY FOR MAINTENANCE OF BALTIVORE STATE SEREADS. (11) "STATE PERANDS" (12) PAID 15 STATE SEREAL TO STATE SEREADS. (13) SEA-MALL TO PROTECT STATE HIGHWAY IN THIS COUNTY. (14) SEA-MALL TO PROTECT STATE HIGHWAY IN THIS COUNTY. (14) SEA-MALL TO PROTECT STATE HIGHWAY IN THIS COUNTY. (14) SEA-MALL TO PROTECT STATE HIGHWAY SHARE IS PAID FOR INTEREST AND WAINTENANCE OF MAINTENANCE OF MAINTENA



PROGRESS OF FEDERAL HIGHWAY LEGISLATION

(NOT FOR RELEASE)

THE FOLLOWING INFORMATION GIVES THE STATUS OF FEDERAL HIGHWAY LEGISLATION AT THE CLOSE OF THE SECOND SESSION OF THE SIXTY-NINTH CONGRESS ON MARCH 4, 1927. AT THAT TIME NO FURTHER ACTION HAD BEEN TAKEN UPON THE FOLLOWING BILLS MENTIONED IN PREVIOUS ISSUES OF THE NEWS LETTER:

H.R. 14254 - C. C. DOWELL, IOWA

14565 - SCOTT LEAVITT, MONTANA

14828 - S. S. ARENTZ, NEVADA

14929 - W. F. STEVENSON, SOUTH CAROLINA

15422 - B. C. REECE, TENNESSEE

15669 - C. J. McLEOD, MICHIGAN

15970 - SCOTT LEAVITT, MONTANA

16464 - E. E. DENISON, ILLINO:S

16777 - O. B. BURTNESS, NORTH DAKOTA

17250 - A. M. WYANT, PENNSYLVAN!A

S. 4675 - C. EUPONT, DELAWARE

5730 - J. E. WATSON, INDIANA

5776 - G. W. NORRIS, NEBRASKA

Two BILLS WERE PREVIOUSLY REPORTED AS HAVING BECOME ACTS, AS FOLLOWS:

H.R. 14827 - INTERIOR DEPARTMENT APPROPRIATION

BILL, PUBLIC 541

15008 - AGRICULTURAL DEPARTMENT APPROPRIATION

BILL, PUBLIC 552.

IN ADDITION TO THESE, NEW BILLS WERE INTRODUCED AND ACTION WAS TAKEN ON THOSE ALPEADY INTRODUCED AS FOLLOWS:

- H.R. 16249 War Department appropriation bill. Introduced in the House on January 13. Signed by the President and became an act on February 23, as Public 630. As signed, the bill provides \$1,000,000, instead of the \$700,000 of the original bill, for the construction, repair and maintenance of roads, tramways, ferries, bridges and trails in the Territory of Alaska. The \$15,000 for repairs to roadways to national cemeteries constructed by special authority of Congress remains unchanged.
- H.R. 15462. Urgent deficiency appropriation Bill. Introduced in the House on January 19. Signed by the President and Became an act on February 28, as Public 660.

(perman) is to

ONTO THE CONTROL OF THE CONTROL OF

ALVERTICAL COLOR DE CARRESTA DA PROPER AL VERTE AL COLOR AL CONTRACTOR DE CARROLT AL COLOR AL

garaga Araba Bugaraga da ngamba satu ngamba satu na kalaya kanga kalaya da kalaya balaya ka kalaya ka kalaya k Da na Araba

TOTAL CONTRACTOR OF THE STATE O

THE BOOK WAS LITTLE BOOK OF THE BOOK OF A COMMING THE BOOK OF THE COMMING OF THE

The control of the co

F.G. 401 H. A internal particular of consequential ment, of model of consequential and consequential and consequential consequences of consequential consequences.
A consequence of the region of 20, and 20, and 20.00.

PROVIDES AN APPROPRIATION OF \$1,400,000 FOR FOREST ROADS AND TRAILS, BEING THE REMAINDER OF THE SUM OF \$7,500,000 AUTHORIZED TO BE APPROPRIATED FOR THE FISCAL YEAR 1927.

- H.R. 16551. INTRODUCED IN THE HOUSE ON JANUARY 21, BY W. A. OLDFIELD OF ARKANSAS. SIGNED BY THE PRESIDENT AND BECAME AN ACT ON MARCH 4, AS PUBLIC 773. PROVIDES THAT EXISTING FEDERAL-AID ROAD LEGISLATION BE SO AMENDED AS TO PERMIT FEDERAL AID TO BE GRANTED, ON THE SAME BASIS AS IN THE CONSTRUCTION OF A FREE BRIDGE, TO ANY TOLL BRIDGE AND APPROACHES THERETO, CONSTRUCTED BY A STATE, COUNTY OR OTHER POLITICAL SUBDIVISION. PROVIDES THAT ALL TOLLS, LESS MAINTENANCE COSTS, SHALL BE APPLIED TO THE REPAYMENT OF THE PORTION OF THE COST PAID BY THE STATE, COUNTY OR OTHER POLITICAL SUBDIVISION, AND THAT WHEN THIS IS ACCOMPLISHED THE TOLLS SHALL CEASE AND THE SRIDGE SHALL THEREAFTER SE FREE. THE COMMITTEE ON INTERSTATE AND FOREIGN COMMERCE REPORTED A SUSSTITUTE BILL TO REQUIRE OPERATION BY THE STATE OR THE POLITICAL SUBDIVISION, AND ADDED A NEW SECTION MAKING THE PROVISIONS APPLY TO APPROACH ROADS TO ANY TOLL BRIDGE OR TOLL FERRY. THIS SECTION WAS RULED OUT BY THE SPEAKER OF THE HOUSE ON A PUINT OF ORDER, AND THE SUBSTITUTE BILL MINUS THIS SECTION WAS PASSED.
- H.R. 13576. Appropriation Bill for the Departments of State, Justice, Commerce and Labor. Introduced in the House on January 22. Signed by the President and Became an act on February 24, as Public 638, Bill as passed provides \$40,000 (original Bill \$30,000) for road construction work in Alaska under the Bureau of Fisheries.
- H.R. 17372. Introduced in the House on March I, By Charles Brand of Ohio, and referred to the Committee on Roads. Proposes to amend Sections 8, II and I2 of the Federal Highway Act as amended to provide essentially that the plans of Federal-aid road projects and the construction of such projects shall be subject to the approval of the Secretary of Agriculture only when the construction of the United States exceeds 50 per cent of the total estimated cost.

THE REFERENCE TO THE COMMITTEE WAS THE ONLY ACTION TAKEN ON THIS BILL, AND IT DIED WITH THE ADJOURNMENT OF CONGRESS. IT IS OPPOSED BY THE BUREAU.



- H.J. Res. 329. Introduced in the House on January 10, by J. C. Linthicum of Maryland, and referred to the Committee on Foreign Affairs. Passed by the House Without amendment on January 17. Reported out Without amendment by the Senate Committee on Foreign Relations, January 18. Passed over Without consideration by the Senate on February 2, 7, and 28, and died with the adjournment of Congress.

 Provided for an authorization of \$15,000 for the expenses of participation by the United States in the Second Pan-American Conference on Highways at Rio de Janeiro.
- S. 3889. Introduced in the Senate by E. B. Mayfield of Texas.

 Signed by the President and became an act on March 4, as

 Public 805.

 The bill as passed authorizes the Secretary of War to prescribe

 Rates of toll over highway bridges across the Red River between

 Oklahoma and Texas.
- S. 4530. INTRODUCED IN THE SENATE ON JUNE 23, 1926, BY T. L. ODDIE OF NEVADA, AND REFERRED TO THE COMMITTEE ON POST OFFICES AND POST ROADS. REPORTED WITHOUT AMENDMENT ON FEBRUARY 4, 1927. PASSED OVER BY THE SENATE WITHOUT CONSIDERATION ON FEBRUARY 7, 28, AND MARCH 2, AND DIED WITH THE ADJOURNMENT OF CONGRESS. THE BILL CONTAINED THREE PROVISIONS: (1) TO AMEND EXISTING FEDERAL-AID ROAD ACTS TO PERMIT UNDER CERTAIN CONDITIONS, IN-CREASED FEDERAL AID ON PROJECTS IN PUBLIC-LAND STATES TO ANY PERCENTAGE UP TO AND INCLUDING THE TOTAL COST, WITH THE PROVISO THAT THE AGGREGATE OF THE FEDERAL AID ALLOTTED ON PROJECTS APPROVED DURING ANY FISCAL YEAR FOR CONSTRUCTION IN ANY STATE SHALL NOT EXCEED THE PRO RATA HERETOFORE PAYABLE IN SUCH STATE UNDER THE PROVISIONS OF THE LAW; (2) TO MAKE \$20,000 THE MINIMUM YEAR'S ALLOTMENT OF FEDERAL AID FOR FOREST ROADS IN ANY STATE; (3) TO ALLOW INCREASED FEDERAL AID ON PROJECTS INVOLVING CONSTRUC-TION IN MOUNTAINOUS, SWAMPY OR FLOOD LANDS ON WHICH THE AVERAGE COST PER MILE FOR THE GRADING AND DRAINAGE STRUCTURES OTHER THAN BRIDGES OF MORE THAN 20 FEET CLEAR SPAN WILL EXCEED \$10,000 PER MILE, AND ALSO IN THE CASE OF ANY PROJECT WHICH, BY REASON OF DENSITY OF POPULATION OR CHARACTER AND VOLUME OF TRAFFIC, THE STATE HIGHWAY DEPARTMENT AND THE SECRETARY OF AGRICULTURE MAY DETERMINE SHALL BE IMPROVED WITH A SURFACE OF GREATER WIGHT THAN

An amendment proposed by Senator Oddle on February 23, was designed to eliminate the \$20,000 minimum for Federal ald on forest roads.

and Fine the

A TOTAL SERVICES TO THE PROPERTY OF THE

The state of the s

A CONTROL OF THE CONT

- S. 4602. Introduced in the Senate on December 7, 1926, by T. L. Oddie of Nevaca and passed by the Senate without amendment on February 28, 1927. Did not become an act. Provided: (1) That the shield or other insignia of the United States shall not be used as a highway marker except by the State highway departments or the U.S. Department of Agriculture; (2) that not more than 60 per cent of all Federal aid allotted to any State shall be spent on the primary or interstate highways until provision has been made for the improvement of the entire system.
- S. 4933. Introduced in the Senate on December 20, 1926, by Hiram Bingham of Connecticut. Signed by the President and Became an act on February 25, as Public 650.

 The bill as passed would authorize the appropriation of \$100,000 from the Treasury to enable the Secretary of Agriculture to construct, reconstruct and maintain public highways in the Virgin Islands. No moneys appropriated under the authorization contained in this act shall be expended for construction, reconstruction, or maintenation of any highway until suitable contracts have seen made by all owners of Lands adjoining such highway with the Secretary of Agriculture, whereby such owners agree that they will sell at least one-half of such Lands to actual settlers.

THE APPROPRIATION AUTHORIZED BY THIS ACT WAS NOT MADE.

- S. 5031. Introduced in the Senate on January 3, By R. H. CAMERON OF ACTIONAL. Passed the Senate Without Amendment on February 28. Did not become an act.
 Provides for the creation of a Pan-American Peoples Great Highway Commission whose duty will be to locate the most feasible Highway Route from Canada, through the United States, Mexico, and Central and South America. To carry on the work \$200,000 is authorized to be appropriated.
- S. 5717. INTRODUCED IN THE SENATE ON FEBRUARY 15, BY G. H. MOSES OF NEW Hampshire and reported out without amendment by the Committee on Post Offices and Post Roads on February 25. Passed over by the Senate without consideration on March 1. Did not become an act.

 Authorizes the appropriation of funds for the construction of a highway from Red Lodge, Montana, to the Boundary of the Yellow-

STONE NATIONAL PARK, NEAR COOKE CITY, WONTANA. (THIS BILL IS

IDENTICAL WITH H.R. 15970)